

31170/A

Digitized by the Internet Archive
in 2015

<https://archive.org/details/b22027865>

TABLES
OF THE
MATERIA MEDICA,
OR A
SYSTEMATIC ARRANGEMENT
OF ALL THE
ARTICLES ADMITTED BY THE COLLEGES
OF
LONDON, EDINBURGH, AND DUBLIN;
EXHIBITING
A CONCISE VIEW OF THE MOST MATERIAL CIRCUMSTANCES
RESPECTING THEM; TOGETHER WITH A NUMBER OF
ORIGINAL AND SELECTED
FORMULAE;
TO WHICH IS SUBJOINED
A TABLE
OF ALL THE SECONDARY SALTS EMPLOYED IN MEDICINE.

BY JEREMIAH KIRBY, M. D.

MEMBER OF THE ROYAL MEDICAL SOCIETY OF
EDINBURGH.

EDINBURGH:

Printed at the University Press;

FOR GUTHRIE AND TAIT,

AND SOLD BY

JOHN MURRAY, FLEET-STREET, LONDON.

ENTERED IN STATIONERS HALL.

957400



TO
JAMES HAMILTON, M.D.
FELLOW OF THE ROYAL COLLEGE OF PHYSICIANS
AND PROFESSOR OF MIDWIFERY IN THE
UNIVERSITY OF EDINBURGH,
THE FOLLOWING TABLES
ARE
RESPECTFULLY
AND GRATEFULLY
INSCRIBED
BY
HIS MUCH OBLIGED
AND VERY HUMBLE SERVANT,
JEREMIAH KIRBY.

CONTENTS.

	Page
CLASS I. EMETICA.....	1
II. EXPECTORANTIA.....	5
III. DIAPHORETICA.....	10
IV. DIURETICA.....	19
V. CATHARTICA.....	25
VI. EMMENAGOGA.....	35
VII. ERRHINA.....	39
VIII. SIALAGOGA.....	40
IX. EMOLLIENTIA.....	44
X. REFRIGERENTIA.....	49
XI. ASTRINGENTIA.....	54
XII. TONICA.....	59
XIII. STIMULANTIA.....	68
XIV. ANTISPASMODICA.....	87
XV. NARCOTICA.....	93
XVI. ANTHIELMINTICA.....	96



Page

CLASS XVII. CHEMICA.....	101
XVIII. MISCELLANEA.....	106
APPENDIX.....	111
TABLE OF SECONDARY SALTS.....	119
INDICES OF CHANGED NAMES.....	129

P R E F A C E.

THE following Tables and Formulae were intended to make part of a larger work on Extemporaneous Prescription, which has been long prepared for the press, but of which, various causes have hitherto delayed the publication. In the mean time, it was thought that the Tables would form a neat pocket volume, which might be found a useful companion to the young physician, and they are, with that view, now offered to the public.

All the substances which are at present admitted into the catalogue of the Materia Medica by the Colleges of London, Edinburgh and Dublin, are here distributed into classes, according to the effects which they produce upon the human body. There are eighteen classes, viz. EMETICA, EXPECTORANTIA, DIAPHORETICA, DIURETICA, CATHARTICA, EMMENAGOGA, ERRHINA, SIALAGOGA, EMOLLIENTIA, REFRIGERANTIA, ASTRINGENTIA, TONICA, STIMULANTIA, ANTISPASMODICA, NARCOTICA, ANTHELMINTICA, CHEMICA and MISCEL-



LANEA; this last containing such as could not easily be referred to any of the former. The classes have been arranged in such an order as seemed best to admit of placing in succession those remedies which are nearly allied. Thus several of the EMETICA are employed as EXPECTORANTIA and DIAPHORETICA; many of the EMMENAGOGA are CATHARTICA; the TONICA are nearly allied to the ASTRINGENTIA, and the ANTISPASMODICA to the STIMULANTIA. Where the class is unusually large, and where a division seemed useful in practice, the articles of such class are again subdivided into MITIORA and FORTIORA, as in DIAPHORETICA and CATHARTICA. Each class is subdivided into ANIMALIA, VEGETABILIA, and FOSSILIA, and under each head the articles are arranged alphabetically. For the sake of easier reference, every article is numbered from the beginning, and as some of the articles of a former class are often employed to produce the effect denoted by the title of a succeeding class, they are placed at the head of this latter, as they have occurred in the former part of the Tables; and to render each class complete in itself, as well as to save the reader trouble, it was thought better to repeat the article at length, than merely to give the number denoting it.

Of each article are given the systematic name; the synonymous, pharmaceutical names; the country

in which it is produced or from which it is brought ; the part employed in medicine ; the form in which it is commonly administered ; the usual doses of the simple ; the several officinal preparations which belong to the class ; the usual doses of these ; and the cases to which the article or its preparations are more peculiarly suited.

The doses are for the most part expressed under two extremes, between which lies the usual dose for an adult ; by which the dose for any age may be adjusted according to the following table.

TABLE OF DOSES.

Age.		Common Dose. dr. 1.	Proportional Dose.	
Weeks	7	$\frac{1}{15}$	gr.	4
Months	7	$\frac{1}{12}$	gr.	5
	14	$\frac{1}{6}$		10
	28	$\frac{1}{3}$		12
Years	$3\frac{1}{2}$	$\frac{1}{4}$	gr.	15
	5	$\frac{1}{3}$	scr.	1
	7	$\frac{1}{2}$	dr.	$\frac{1}{2}$
	14	$\frac{2}{3}$	scr.	2
	21	$\frac{3}{4}$	dr.	1
	63	$\frac{1}{2}$	gr.	55
	77	$\frac{5}{6}$	gr.	50
	100	$\frac{4}{6}$	scr.	2

In the preceding table the second column shews the aliquot parts of the dose for an adult that are suited to different ages, supposing the dose for an adult to be one ; and the third column gives the proportional quantities in grains, &c. supposing the common dose to be one drachm.

Where no particular nicety is required, the medicine is ordered *ad libitum*, and where a medicine is to be administered by beginning with a small dose, and gradually increasing it, this is denoted by a line drawn after the small dose, without any other dose succeeding. Thus in No. 226. RHUS Toxicodendron, the dose is marked gr. $\frac{1}{2}$ —.

It may be necessary to account for the contracted form in which the words are printed. In the first draught of these tables, the circumstances noticed under each article were distributed in columns as in the table of secondary salts. But it was found that the difficulty and consequent expence of printing the work in that form, would more than counterbalance the advantage which might be derived from it. The original plan was, therefore, relinquished, but the contracted words which had been employed as occupying less room in the columns, were, for the same reason retained in the present form.

To each class is subjoined a number of select Formulæ, both to serve as illustrations of the mode of prescribing and administering the several articles,

and to afford to the young practitioner, who is yet unexperienced in the art of prescribing, examples of useful remedies, which he may either copy or modify as he pleases. They are partly taken from the best writers on Extemporaneous Prescription and the practice of Physic, but many of them are original, and are such as have been found successful in private practice.

In these Formulae the new nomenclature, adopted by the Edinburgh College in the last edition of their Pharmacopoeia, has been employed, as it is much more precise and scientific than that of the other Colleges, and will probably soon be imitated by them. It were, indeed, to be wished that some of the names had been shortened, but this can in many cases easily be done by the prescriber, without rendering them less intelligible. Although in the Formulae, the editor has for the most part adopted the Edinburgh names, he has taken the liberty to point out by notes the cases in which the College seem to have failed in their usual accuracy.

There are several circumstances in the style of these Formulae which may appear singular, and perhaps affected. Instead of the usual symbol for *ounce*, *drachm* and *scruple*, and the Roman numerals and Latin directions, the contracted words *unc. dr. scr.* and the common Arabian figures have been always employed, and the directions are written in English.

This has been done from a conviction that this mode of writing prescriptions is much less likely to produce mistakes, either in prescribing or compounding medicines than what is commonly in use.

The characters \mathfrak{z} and \mathfrak{z} are so similar, that they may easily be written for each other, and that they have sometimes been so written cannot be denied. The consequence is obvious; a stroke of the pen too much may kill the patient, and a stroke too little may produce a medicine of little or no efficacy. Strange! that physicians should have been so misled by an affectation of mystery or concealment, (for to what else can be attributed the use of these hieroglyphics?) as to place the safety of their patients at the mercy of a *lapsus pennae*! *Unc.* and *dr.* can never be written for each other, and we see no good reason why these abbreviations should not be employed for *uncia* and *drachma*, as well as *gr.* and *gtt.* for *granum* and *gutta*. Dr. Spens, in his elegant edition of the *Pharmacopocia Nosocomii Edinburgensis*, has employed these contracted words, but has retained the Roman numerals.

The use of the Arabian figures appears calculated to insure both perspicuity and dispatch. They are more easily written, occupy less room in a prescription, and remove all possibility of mistake.

As to the directions, they should always be written in the vernacular language. In a prescrip-

ion, perspicuity is our first object ; it is not here that we are called upon to display our learning and classical elegance ; and whoever considers that these are properties not always to be met with in the shop of an apothecary or druggist, will readily wave them in order to ensure the perfect understanding of his prescriptions. It does not indeed require any great knowledge of Latin to translate the directions which usually occur in prescriptions, but as there are cases in which a long and rather complex direction is employed, we should leave nothing to the contingency of the learning, or ignorance of the compounder ; but, by writing the directions ourselves in the received language of the country, put it out of his power to injure our reputation or endanger the safety of the patient.

As there are several articles of approved efficacy which have not yet obtained a place in our Pharmacopœias, we have added the most remarkable of these by way of Appendix.

We must now say something in explanation of the Table of Secondary salts, given at the end of the Volume.

This Table exhibits the more essential chemical habitudes of all the earthy, alkaline and metallic salts employed in medicine. It is divided into seven columns.

In the first the several salts are named according to the most approved chemical nomenclature, and numbered from the beginning.

The second column shews the degree of attraction which subsists between each salt and water; *i. e.* how many times its weight of water at the temperatures of 60° and 212° are required to dissolve one part of the salt; and whether it be deliquescent or efflorescent.

The third, fourth and fifth columns shew the relative proportions of *base, acid and water of crystallization* contained in one hundred parts of each salt, and where the salt is found in two states, crystallized and dry, or deprived of its water of crystallization, the proportions in both states are marked in the Table.

In the sixth column are shown those substances employed in medicine, which are capable of decomposing each salt by single affinity, and to prevent repetition, each substance is marked with a small letter, and in succeeding parts of the column these letters are placed to denote the substance to which they belong.

In the last column are shewn those secondary salts by which each salt may be decomposed, and for the reason assigned above, the numbers denoting

Each in the first column are given instead of their names.

As in the denominations of diseases, in several cases the nomenclature of other authors has been adopted in preference to that of Dr Cullen's nosology, and in one case (*apoplexia hydrocephalica*), a new name has been employed, it is proper here to give those names with their corresponding synonyms.

<i>Scarlatina anginosa.</i>	Scarlat. cynanchica. } CULL.
<i>Narcotismus.</i>	Cynanche maligna. }
<i>Menorrhoea.</i>	Apoplexia a venenis narcoticis.
<i>Phrenitis hydrocephalica.</i>	Gonorrhoea. C.
<i>Asthenia.</i>	Apoplexia hydrocephalica.
	Dyspepsia cum debilitate. C.
	Chronic weakness. WITHERS.

To the whole are subjoined two *indices*; the first containing those names which have been changed by the Edinburgh College, in the last impression of their Pharmacopoeia, with their corresponding synonyms; and the second, containing those articles of the London and Dublin Pharmacopoeias which do not occur in the former index.

In compiling these tables, the Editor has derived considerable assistance from Dr A. DUNCAN'S valuable edition of the Edinburgh New Dispensatory.

In a publication of this kind, consisting wholly of names, it is extremely difficult to avoid typographical errors, and although particular pains have been taken in correcting the sheets, some few errors have

escaped notice. The most material of these will be found in the following *corrigenda*.

As the printing of this volume was begun before the last impression of the Edinburgh *Pharmacopoeia* was published, and as the editor had an opportunity of seeing only a few of the last sheets of that work, he was not able to give all the names as corrected in that impression; these are therefore subjoined in the *corrigenda*.

C O R R I G E N D A.

P. 10. Formul 18. *for* int. *read* sint

p. 14. n. 41. The third preparation should have been thus printed:

Tinct. Guaiac. Ammoniat. E.

Tinct. Guaiac. L.

Tinct. Guaiac. volat. D.

p. 22. n. 57. *for* Ol. volat. Terebinth. rect. *read* Ol. volat. Pini puriss.

p. 26. n. 64. *for* Infus. Tamarind. Indic. cum Cass. Senna; *read* Infus Tamarindi cum Senna.

p. 34. formul. 50. *for* One *read* balf.

p. 42. formul. 62. *for* Acetit. Plumbi, *read* Ung. Acetit. Plumbi.

p. 60. n. 162. dele *Gentian Cent.*

TABLES
OF THE
MATERIA MEDICA,
WITH
APPROPRIATE FORMULAE.

CLASS I. EMETICA.

SECT. I. ANIMALIA.

1. MURIAS AMMONIAE. Edin.
Sal ammoniacum. Lond. Dub.
Britannia.
a. Aqua carbonatis ammoniae. E. }
Aq. ammoniae. L. } dr. 1-2.
Liquor alkali volat. mitis. D. }
-

SECT. II. VEGETABILIA.

2. ANTHEMIS nobilis. E.
Chamaemelum. L. D.
Brit. *Flos.* Infus. dr. 2.—4. ad. aq lib. $\frac{1}{2}$
3. ASARUM europaeum. E.
Asarum. L. D.
Brit. Ital. *Folia.* Pulv. dr. $\frac{1}{2}$.—1.

4. CENTAUREA benedicta.

Carduus benedictus. L.Insul graec. *Folia*. infus. vel decoct.

5. CEPHAELIS ipecacuanha.

Ipecacuanha. L. E. D.India occid. Brasil. *Radix*. Pulv. gr. 15.—25.

a. Vinum ipecacuanhae. L. E. D. unc. 1.—2.

6. NICOTIANA Tabacum. E.

Nicotiana. L.America. *Folia*. Fum. Cataplasma.

7. OLEA europaea. E.

Oliva. L. D.Europ. merid. *Fructus oleum express.**Ad Venena.*

8. SCILLA maritima. E.

Scilla. L. D.Eur. merid. *Rad.* Pulv. gr. 4.—10.

a. Acetum. Scillae marit. E.

Acet. scillae. L. D. unc. $\frac{1}{2}$.—1.

9. SINAPIS alba. E.

Sinapi. L. D.Brit. *Seminis pulvis aqua commixt.* dr. 1.

SECT. III. FOSSILIA.

10. SULPHAS CUPRI. E.

Cuprum vitriolat. L. D.

Brit. Solut. gr. 2.—5.

Ad Venena.

11. SULPHURETUM ANTIMONII. E.

Antimonium. L. Stibium. D.

Brit.

a. Oxidum Antimonii cum Sulphur. vitrificat. E.

Antimonium vitrificatum L.

b. Vinum Antimonii L.

c. Tartris Antimonii E*.

Antimonium tartarisatum. L.

Tartarum Stibiatum. D.

} gr. 1.—4.
dos. re-
petit.

d. Vinum Tartrit. Antimon. E. unc. $\frac{1}{2}$.— $1\frac{1}{2}$.

Antimon. tartar. L.

Tartari stibiat. D. dr. 2.—6.

12. ZINCUM E.

a. Sulphas Zinci E.

Zincum vitriolatum. L. D.

} gr. 10.—30.

Formulae.

1. R. Pulv. Ipecac. scr. 1.

Tartrit. Antimon. gr. 1. M. f. Pulv.

Signr. *The Emetic Powder to be taken in the*

* In strict conformity to Chemical Nomenclature, this should have been called *Tartras Antimonii et Potassae*; as experiment has fully proved the presence of Potash in Emetic Tartar.

We have said that it should have been called *Tartras*. Chemists have now generally agreed, that all the vegetable Acids shall terminate in *ic*; as *Acetic, Muric, Tartaric*, and of course all the Salts, of which these Acids form a part, must be denominated *Acetats, Tartrats, &c.*

Evening, or—just as the next cold fit is coming on, or—directly.

Febres. Catarrh. Dysenter. Scarlatin. anginos. Narcotism. Dyspeps.

2. R. Pulv. Asari europ. scr. 2.

Syrup. Scill. marit. q. s. f. Bolus.

Ut supra.

3. R. Vini Ipecacuan. unc. 1.

Tartrit. Antimon. dr. 2. misc. f. haust.

Ut supra.

4. R. Folior. Nicotian. Tabac. unc. 1.

Aquae fervent. q. s. simul contunde in Cataplasma.

Signr. *The poultice to be applied over the stomach.*

In cases where Emetics cannot properly be given by the mouth.

5. R. Pulv. Scill. marit. gr. 6.

Conserv. ejusd. q. s. f. Bolus.

Signr. *To be taken in the morning.*

Ad Hydropem.

6. R. Tartrit. Antimon. gr. 4.

Aq. Laur. Cinnamom. unc. 2. m. f. Solutio.

Signr. *A table spoonful to be taken every quarter of an hour till it vomits.*

Febres. Catarrh. Dysenter. Pertuss.

7. R. Sulphat. Zinci. scr. 1.

Conserv. Ros. gallic. q. s. f. Bolus.

Signr. *To be taken immediately.*

Ad Venena. &c.

CLASS II. EXPECTORANTIA.

1. *Vegetabilia.*

5. CEPHAELIS Ipecacuanha. Pulv. gr. 1. 3tia aut 4ta
qu. hor.

Peripneumon. noth. Asthma.

6. NICOTIANA Tabacum. Fumus.

8. SCILLA maritima.

a Acet. Scil. maritim. dr. 2.—4.

b. Syrup Scill. maritim. E.

c. Oxymel Scillae. L. D.

d. Tinctura Scillae. L. gt. 10.—dr. 1.

e. Pilulae Scillae. L. D. }
Scilliticae. E. } gr. 10.—15.

f. Conserva Scillae, L. gr. 30.—40.

13. ALLIUM sativum. E.

Allium. L. D.

Eur. merid. *Rad. recens.* dr. 1.—2.

a. Syrupus Allii. L. coch. 1. subinde.

14. AMMONIACUM. E. L. D.

India. *Gum-resin.* Pil. Mist. gr. 10.—20. dos.
rep.

a. Lac Ammoniacy. L. unc. 1.—2. dos. rep.

15. ARUM maculatum. E.

Arum. L.

Brit. *Rad. recens.*

a. Conserv. Ari. L. dr. $\frac{1}{2}$ —1.

-
16. COLCHICUM autumnale. E.
Colchicum. L.
 Brit. *Rad. recens*.
 a. Syrupus Colchici autumnal. E. } dr. 2.—
 b. Oxymel Colchici. L. } unc. 1.
17. FERULA Asa foetida. E.
Asa foetida. L. D.
 Persia. *Gum-resin*. Pil. Mist. gr. 10.—15. dos.
 rep.
 a. Lac Asae foetidae. L. unc. 1.—2. dos.
 rep.
18. HYSSOPUS officinalis.
Hyssopus. D.
 Brit. *Herba*.
19. MARRUBIUM vulgare. L.
 Brit. *Folia*. Syrup.
20. MYRRHA. L. E. D.
 Arab. Abyssin. *Gum-resin*. Pul. Pil. gr. 10.—dr. $\frac{1}{2}$.
21. PIMPINELLA Anisum. E.
Anisum. L. D.
 Asia. *Semin*. Infus.
 a. Ol. volat. Pimpinell. Anisi. E.
 Essent Anisi. L. gr. 2.—6.
22. POLYGALA Senega. E.
Seneka. L. D.
 Amer. *Rad*.
 a. Decoctum. Polygal. Senegae. E. unc.
 1.—1 $\frac{1}{2}$.
 Cynanch. tracheal. Pneumon.

23. STYRAX Benzoin. E.

Benzoinum. D.

Benzoe. L.

Sumatra. *Balsam.*

a. Acidum Benzoicum. E.

Sal Benzoini. D. }

Flores Benzoes. L. }

gr. 1.—2. dos. repet.

b. Tinct. Benzoeis. compos. L. gt. 15.—30.

24. ALCOHOL.

Spirit. Vini rectificat. L. D.

a. Aether Sulphuricus. E. }

vitriolicus. L. D. }

forma vaporis.

Asthma.

2. Fossilia.

11. SULPHURETUM ANTIMONII.

c. Tartris Antimonii. gr. $\frac{1}{3}$.— $\frac{1}{2}$. subinde.

d. Vinum Tartrit. Antimonii. E. dr. 1.—2.

Antimonii tartaris. L. D. gt.

30.—dr. 1.

c. Sulphuretum Antimonii precipitat. E*.

Sulphur Antimonii praecip. L. }

Stibii rufum. D. }

gr. 3.—5.

25. SULPHUR sublimatum. E.

Flores Sulphuris. L. D.

a. Sulphur sublimat. lotum. E. }

Flores Sulphuris loti. L. D. }

gr. 15.—

dr. $\frac{1}{2}$.

* This should have been called *Hydrosulphuretum*.

-
- b. Oleum Sulphuratum. L. D. E. gt. 10.-20.
 c. Petroleum Sulphuratum. L.
 d. Trochisci Sulphuris. L.
 Asthma, &c.
-

Formulæ.

8. R. Pulv. Ipecacuan. gr. 1.
 Rad. Glycyrrh. glab. gr. 10. m. f. Pulv.
 Signr. *One to be taken every two or three hours.*
 Peripneumon. notha.
9. R. Tinct. Scillae. dr. 2.
 Opii camphorat. dr. 4. m. f. Guttae.
 Signr. *A tea spoonful to be taken three times a day, in a cup of Lintseed tea.*
 Peripneumon. Asthma.
10. R. Pulv. Rad. Scill. maritim. gr. 8.
 Sacchar. purificat. dr. 1. m. et divide in Pulv.
 3. aut 4.
 Signr. *One to be taken twice or thrice a day.*
11. R. Ammoniaci dr. $1\frac{1}{2}$. ad. 2.
 Aq. Menth. Puleg. unc. 6.
 Solve et adde
 Syrup. Toluifer. unc. 1.
 Tinct. Scillae.
 Opii Camphorat.
 ana dr. 3. M.

Signr. Three table spoonsful to be taken every four hours.

Pneumon. Peripneumon. Asthma.

12. Eadem formula cum

Asa foetida pro Ammoniaco.

13. R. Puly. Myrrh. dr. 1.

Conserv. Ros. gallic. q. s. f. Mass in Bol. 6.
dividend.

Signr. One to be taken three times a day.

Phthis. Pulmonal.

14. R. Tinct. Benzoes comp. dr. 2.

Mellis despumat unc. $\frac{1}{2}$.

aut si haec non convenerit,

Syrup. Toluifer. unc. 1.

Tere simul et adde

Vin. Tartrit. Antimon. unc. $\frac{1}{2}$.

Aq. Laur. Cinnamom. unc. 6.

M. f. Emulsio.

Signr. Three table spoonsfull to be taken every four hours.

Catarrh.

15. R. Opii gr. 4.

Conserv. fruct. Ros. canin. q. s.

Tere bene simul et adde

Pulv. Ipecac. gr. 12.

aut.

Tartrit Antimon. gr. 4.

M. f. Mass in Pil. 12. dividend.

Signr. One to be taken three times a day, and

one during the night if restless, or the Cough is troublesome.

Catarrh.

16. *R.* Succ. spissat. Hyoscyami nigr.

Pulv. Ipecac. aa gr. 12. M f. Mass in Pil. 12.
dividend.

Ut supra.

17. *R.* Sulphuret. Antimon. praecip. gr 3.

Sacchar. purificat. dr. 1. M. et divide in
Pulv. 6.

Signr. *One to be taken three times a day.*
Asthma.

18. *R.* Succ. spissat. Hyoscyam. nigr. gr. 16.

Vin. alb. Hispan. unc. 1.

Solve et adde

Vin. Tartrit. Antimon. unc. $\frac{1}{2}$. m. int Guttae,

Signr. *A tea spoonfull three times a day, in a cup of Lintseed tea.*

19. *R.* Tinct. Opii. dr. 3.

Vin Tartrit Antim. dr. 6. M. f. Guttae.

Signr. *Thirty drops u. s.*

CLASS III. DIAPHORETICA.

A. MITIORA.

1. *Animalia.*

1. MURIAS AMMONIAE.

a. Aqua Carbonat. Ammoniae. gt. 50.

-
- b.* Carbonas Ammoniae. E. }
Ammonia praeparata. L. } gr. 5.—10.
Alkali volatile mite. D. }
c. Alcohol Ammoniatum. E.
Spirit. Ammoniae. L. }
Alkali valatil. D. } gt. 30.—dr. 1.

2. Vegetabilia.

2. ANTHEMIS nobilis.
 Infus. calid.

4. CENTAUREA Benedicta,
 Ibid.

12. MYRRHA.
 Pulv.

23. ALLIUM sativum.

26. ACIDUM ACETOSUM.

Acetum. L. D.

Serum lactis Aceto coacti.

Rheumatism.

a. Acidum Acetosum destillat. E.

Acetum distillatum. L. D.

b. Aqua Acetitis Ammoniae. E. }

Ammoniae acetatae. L. } dr. 3.—6.

Liq. Alkali volat. acetat. }

27. ARCTIUM Lappa. E.

Bardana. L. D.

Brit. Rad. Decoct.

28. ARTEMISIA Abrotanum,

Abrotanum. L.

Eur merid. *Folia*. Infus.

29. ARISTOLOCHIA *Serpentaria*. E.

Serpentaria. L. D.

Americ. *Rad.* Pulv. gr. 20.—30. 6ta quaq. hor.

a. Tinctur. Aristoloch. Serpen-
tar. E. } dr. 3.—6,
Serpentar. L.

30. DAPHNE *Mezereum*. E.

Mezereum. L.

Mezcreon. D.

Eur. septentr. *Radicis cortex*. Pulv. gr. 1.

a. Decoctum Daphnes Mezerei. E. unc.
1.—2.

Syphil. Morb. cutan.

31. DORSTENIA *Contrajerva*. E.

Contrajerva. L. D.

Amer. merid. *Rad.* Pulv. gr. 30.—40.

Decoct.

Febr. Cynanch.

a. Pulv. Contrajerv. comp. L. gr. 30.—40,
4ta. qu. hor.

32. FUMARIA *officinalis*.

Fumaria. D.

Brit. *Herba*. Infus.

33. LAURUS *Sassafras*. E.

Sassafras. L. D.

Amer. sept. *Ling. Rad. Còrt.* Decoct.

34. SALVIA *officinalis*. E.

Salvia. L. D.

Eur. mer. *Folia*. Infus. ad libitum.

35. *SAMBUCUS nigra*. E.

Sambucus. L. D.

Brit. *Bacca*. Succus expressus.

a. Succus baccae Sambuc. spissat. L.

36. *SMILAX Sarsaparilla*. E.

Sarsaparilla. L. D.

Ind. Occ. *Rad.* Decoct.

a. Decoctum Smilac. Sarsaparill. } lib. 1.
E. } —in

Sarsaparill. L. D. } die.

b. compos. L. Ibid.

Ad morbos cutan.

37. *SOLANUM Dulcamara*. E.

Dulcamara. E.

Brit. *Stipites*. Decoct.

38. *SUPERTARTRIS POTASSAE*. E.

Crystalli Tartari. L. D.

Gallia, &c. *Pulv.* Solut. scr. 1.—dr. 1. saepius in die.

B. FORTIORA.

1. *Animalia*.

39. *MOSCHUS moschiferus*. E.

Moschus. L. D.

Asia. *Maetries prope Umbilic. collecta*. Bol.

Haust. gr. 10—20.

a. Mistura moschata. L. unc. 1.—2.

2. Vegetabilia.

40. ACONITUM neomontanum.

Aconitum napellus. L. E. D.

Eur. mer. *Folia*. Pulv. Tinctur. gr. $\frac{1}{2}$.—2.

a. Succus spissat. Aconit napell. E. gr. $\frac{1}{2}$.—2.

Rheumat. Podagr. Paralys.

41. GUAIACUM officinale. E.

Guaiacum. L. D.

Ind. Occ. *Ling*.

Cort. Dec. Gum-resin. Pulv. Pil. Emuls. gr. 10.—30.

a. Decoct. Guaiaci offic. comp. E. lib. $\frac{1}{2}$.—1.
in die.

Ad morb. cutan.

b. Tinctur. Guaiac. offic. dr. 2.—4.

c.	Ammoniae. E.	} dr. 1.—3.
	<i>Guaiaci</i> . L.	
	volatilis. D.	

Rheumatism.

42. LAURUS Camphora. E.

Camphora. L. D.

Ind. Orient. Bol. Mist. gr. 5.—20.

a. Mistura Camphorata. L. unc. 2.—4.

b. Emulsio Camphorata. E. unc. 1.—3.

43. PAPAVER somniferum. E.

Pap. album. L. D.

Opium.

Asia. *Succus spiss. capsul*. Pil. Pulv. gr. 1.—2.

a. Tinctura Opii. L. E. D. gt. 25.—50.

- b.* Tinct. Opii camphorat. L. dr. 2.—6.
c. Ammoniata. E. dr. 1.—1½.
d. Pulv. Ipecac. et Opii. E. } gr. 10.
 compos. L. D. } —20.

24. RHODODENDRON Chrysanthum. E.
 Siberia. *Fol. Summit.* Decoct. dr. 2.—4.
 ad lib. 7.—unc. 1.—2. bis in die.
 Rheumat. Podagr.

3. Fossilia.

21. SULPHURETUM ANTIMONII.

- c.* Tartris Antimonii gr. ½. 6ta qu. hora.
d. Vinum Tartrit. Antimon. E. dr. 2.
 Antimon. tartar. L. dr. 1.
e. Sulphuret. Antimon. praep. gr. 1.—2.
f. Sulphur Stibii fuscum. D. Gr. 1.—1½.
g. Oxidum Antimon. cum }
 phosphat Calcis. E. } gr. 4.—6. 4ta
 Pulvis Antimonialis L. } aut 6ta quaq.
 Stibiatus D. } hor.
h. Antimonium calcinatum L. gr. 10. —15.
i. Calx Stibii praecipitat. D.
 Febres. Cynanchen. Pneumon. Rheumat.
 Variol. Rubeol. Scarlatin. Catarrh.
 Dysenter. &c.

25. SULPHUR sublimatum.

- a.* Sulph. sublimat. lat. E. }
b. praecipitat. L. } gr. 12.—30.

25. HYDRARGYRUM.

Hydrargyrus. L. E. D.
 Hungaria, &c.

-
- a. Hydrargyr. purificat. L. E. D.
 b. Submurias Hydrargyr. E. } gr. 1. omni.
 Calomelas. L. } nocte.
 Hydrarg. muriat. mit. }
 sublim. D. }
 Rheumat.
-

Formulae.

20. R. Carbonat. Ammoniae.
 Camphorae *aa* gr. 10.
 Conserv. Ros. gallic. q. s. f. Bolus.
 Signr. *To be taken at bed time, drinking plentifully of Vinegar whey to promote perspiration.*
 Rheumat.
21. R. Aquae Acetit. Ammon. unc. 2.
 Tinct. Opii camphor.
 Syrup. Croci *aa* unc. $\frac{1}{2}$.
 Vin. Antimon. tart. dr. 2.
 Aq. Laur. Cinnam. unc. 4. m. f. Julepum.
 Signr. *Three or four table spoonsful to be taken every six hours.*
 Rheum.
22. R. Mosch. gr. 15.
 Nitrat. Potass. gr. 10.
 Camphor. gr. 5. simul tere et adde.
 Conserv. cujuslib. q. s. f. Bolus.
 Signr. *One to be taken every six hours, drinking after each three table spoonsful of the following Julep.*

23. *R.* Carbonat. Ammoniae. scr. 4.
Succ. Citri medic. rec. unc. 2.
Spt. Laur. Cinnamom.
Syr. Croci, *aa* unc. $\frac{1}{2}$.
Aq. Destillat. unc. 5. M. f. Julep *.
Febres, &c.
24. *R.* Succ. spissat Aconit napell. gr. 1.
Supertar. Potass. scr. 1. simul in Pulv. tere.
Signr. *To be taken every four or six hours in a little warm tea.*
Rheum. Podagr.
25. *R.* Resin. Guaic.
Supertart. Potass. *aa* scr. 1. simul in Pulv. tere.
Signr. *To be taken at bed time.*
Rheum. chron.
26. *R.* Resin Guaic. in Pulv. trit. dr. 1.
Mucilag. Mimos. nilot. unc. 1.
Syrup. Croci.
Tinct. Guaiac. *aa* unc. $\frac{1}{2}$.
Aq. Menth. pip. unc. 6. M. f. Emuls.
Signr. *Three table spoonsful to be taken three or four times a day.*
Rheum. Chron.
27. *R.* Tinct. Opii. gt. 30.
Vin. Tartrit. Antimon. E. dr. 1. aut
Vin. Antimon. tart. L. dr. $\frac{1}{2}$.
Syr simpl. dr. 2.

* This forms a gentle Diaphoretic Julep, which may be conveniently given after the more powerful sudorifics, or may be taken freely by itself, when it is intended only to keep up a gentle perspiration.

Mistur. Camphor. unc. 1. M. f. Haust.
To be taken at bed time.
 Rheumat. Catarrh. &c.

28. R. Opii pulv. gr. 6.

Tartrit. Antimon. gr. 3.

Simul tere et adde

Extract. Glycyrrh. glab. mollior. q. s.

F. Mass. in Pil. 6. dividend.

Signr. *One to be taken every night, or every night and morning.*

29. R. Pulv. Ipecac. et Opii gr. 15.

Electuar. Aromat. E. q. s. F. Bol. aut Pil. 4.

Signr. *To be taken at bed time, and repeated some hours after in a smaller dose.*

Rheum.

30. R. Oxid. Antimon. alb. dr. 1.

Sacch. alb. dr. 2. simul tere et divide in Pulv. 6.

Signr. *One to be taken every six hours in a glass of Chamomile tea.*

Febres.

31. R. Oxid. Antimon. cum Phosph. Calcis. gr. 6. ad. 10.

Confect. Opiat. q. s. F. Bolus.

Signr. *To be taken at bed time, (or half the quantity every six hours.)*

Febres.

32. R. Tartrit. Antimon. gr. 10.

Aquae Rosae centifol. unc. 1. Solve pro Lotione.

Signr. *The hands to be rubbed with this solution before a fire, till the whole is dried in.*

In cases where diaphoretics by the mouth are not convenient or agreeable.

CLASS IV. DIURETICA.

1. *Animalia.*

46. *LYTTA vesicatoria.*

Meloe vesicatoria. E.

Cantharis. L. D.

Eur. mer. *Pulv.* gr. $\frac{1}{2}$.—1. 4ta vel 6ta qu. hor.

a. *Tinctur. Meloes vesicat.* E.

Cantharid. L. gt. 10.—20.

Ischur. Hydrop.

47. *ONISCUS Asellus.* E.

Millepedes. L.

Brit.

2. *Vegetabilia.*

3. *ASARUM europaeum.* Rad. Decoct.

Hydrop.

6. *NICOTIANA Tabacum.* Infus. unc. 1. ad lib. 1.
gt. 60.—80.

Hydrop. Dysur.

8. *SCILLA maritima.* Pulv. gr. 1.—2. bis terve in die.

a. *Tinctur. Scillae.* gt. 20.—30.

Hydrop.

13. *ALLIUM sativum.*

16. COLCHICUM autumnale.

- a* Syrup. Colchici. E. }
b. Oxymel Colchici. L. } dr. 1.—4. bis ter-
c. Acetum Colchici. D. } ve in die.
 Hydrop.

22. POLYGALA Senega.

- a*. Decoct. Polygal. Seneg. unc. 1.—1 $\frac{1}{2}$.

26. ACIDUM ACETOSUM.

- a*. Acetis Potassae. E. }
Kali acctatum. L. }
Alkali vegetabile } scr. 1.—4.
acctat. }
 Hydrop. Icterum.

30. DAPHNE Mezereum.

- a* Decoct. Daphn. Mezerei. unc. 1.—2.

36. SMILAX Sarsaparilla.

- a*. Decoct. Sarsaparill. comp. ad libit.

37. SOLANUM Dulcamara. Decoct.

38. SUPERTARTRIS POTASSAE Solut. unc. $\frac{1}{2}$. in die.
Hydrop.

48. ALLIUM Cepa.

Cepa. D.

Cult. *Rad. recens* ad libit.

49. CISSAMPELOS Pareira.

Pareira brava. L. D.

Ind. Occid. *Rad.*

50. COCHLEARIA Armoracia. E.
Raphanus rusticanus. L. D.
 Brit. *Rad. recens*. Infus.
 Hydropes.
51. COPAIFERA Officinalis. E.
Balsamum Copaiva. L. *Copaiba*. D.
 Ind. Occ. Amer. *Resin*. Gutt. Emuls. gtt.
 20.—60.
52. CYNARA Scolymus.
Cin. Scolymus. E.
Cinara. L. D.
 Eur. mer. *Folia*. Succ. express. unc. $\frac{1}{2}$.—1.
 bis in die.
 Hydrop.
53. DIGITALIS purpurea. E.
Digitalis. L. D.
 Brit. *Fol*. Pulv. gr. 1. bis in die. Infus. Decoct.
 Hydrop.
54. JUNIPERUS communis.
Juniperus. L. D.
 Brit. *Bacc. ser.* 1.—dr. $\frac{1}{2}$. *Cacumen*. Infus.
 ad libit.
 a. Spir. Juniper. commun. }
 comp. E. } unc. $\frac{1}{2}$.—1. di-
 } lut. subind.
 compos. L. D.
 b. Ol. Juniper. L. D.
 commun. E.
55. JUNIPERUS Lycia.
Olibanum. L. D.
 India. *Gum-resin*.

56. LEONTODON Taraxaeum.

Taraxacum L. D. Rad.

57. PINUS Sylvestris E.

Terebinthina vulgaris. L. D.Brit. *Resina et ol. volat.* Gutt. Enema. Pill.
gr. 15.—20.

a. Ol. Volat. Terebinth rect. gtt. 20.—30.

58. PINUS Larix.

Terebinthina Veneta. L. D.Brit. *Resina*. Enema. Pill.

59. SPARTIUM scoparium, E.

Genista. L. D.Brit. *Sem. Cacum.* Decoet. ad libit.

60. ULMUS campestris. E.

Ulmus. L. D.Brit. *Cort. intern.* Decoet.a. Decoet. Ulmi. L. unc. 4.—8. saepius in
die.

Ad morb. cutan.

3. Fossilia,

45. HYDRARGYRUM.

c. Murias Hydrargyri. E.

Hydrargyrus muriatus. L. } gr. $\frac{1}{8}$.— $\frac{1}{4}$.*Hyd. mur. corros.* D.

Ad morb. cutan.

61. NITRAS POTASSAE. E.

Nitrum. L. D.India. *Pulv.* gr. 5.—15.

-
- a. Nitrum purificat. E. L. u. s.
b. Acidum Nitrosum. L. E. D. dr. 1.—2.
ad Aquae lib. 1. in die.
c. Spir. aether. nitros. L. E. D. gtt. 30.—60.
saep. in die.
-

Formulae.

33. R. Pulv. Meloes vesicator. gr. 1.
Camphor. gr. 5.
Sapon. Hispan. gr. 10.
Syr. q. s. F. Bolus.
Signr. One to be taken twice or three times a day, drinking a cup of barley water after each.
34. R. Pulv. Rad. Scill. maritim. scr. 2.
Submuriat Hydrargyr. dr. $\frac{1}{2}$.
Syr. Amom. Zingib. q. s. F. Mass. in Pil. 30.
dividend.
Signr. One to be taken twice or thrice a day, drinking after each a glass of Gin Punch.
Hydrop.
35. R. Nitrat. Potass. gr. 10.
Pulv. Laur. Cinnamon, gr. 5.
Scill. maritim. gr. 1.—2.
M. f. Pulv.
Signr. To be taken every night and morning.
Hydrop.
36. R. Carbonat. Potass. puriss. scr. 1,
Succ. Limon unc. $\frac{1}{2}$.

Tinct. Scill. marit. gtt. 40.

Opii gt. 20,

Syr. Cort. Aurant. dr. 2.

Aq. Laur. Cinnam. vel

Mist. Camphor. unc. 1. M. f. Haust.

Signr. *To be taken every night at bed time.*

37. R. Supertart. potass. unc. $\frac{1}{2}$.

Aq. distillat. fervent. lib. $1\frac{1}{2}$.

Solve et adde

Spir. Juniper. comm. comp. unc. 3.

Syr. Colchici autumn. unc. 1. M. f. Apozem,

Signr. *To be drank in the course of the day.*

Hydrop.

38. R. Supertartrit. Potass. dr. 2.

Pulv. Fol. Digital. purp. gr. 6.

Simul tere et divide in Pulv. 6

Signr. *One to be taken twice a day.*

Hydrop.

39. R. Fol. Digital. purp. sicc. dr. 1.

Aq. Distillat bullient. lib. $\frac{1}{2}$.

Infunde per hor. 4. Colaturae, adde

Syr. Cort. Citr. Aurant.

Spt. nuc. Myrist. mosch. aa unc. $\frac{1}{2}$.

M. f. Julep.

Signr. *Two table spoonsfull to be taken twice or thrice a day.*

40. R. Ol. Olivac. unc. 2.

Terebinth. dr. 1. M. f. Lin.

Signr. *The belly to be rubbed twice or thrice a day.*

Ischur.

1. R. Terebinth. venet. unc. $\frac{1}{2}$.
 Mucilag. mim. nilot. Gum. q. s.
 Simul tere et adde
 Niträt. potass. dr. 2.
 Infus. Bacc. Junip. Com. (unc. 1. ad lib. 1.)
 unc. 8.
 M. f. Enema.

CLASS V. CATHARTICA.

A. MITIORA.

1. *Animalia.*

2. MEL. L. E. D.

Brit.

a. Mel despumatum. E. L. D.

2. *Vegctabilia.*

3. ANTHEMIS nobilis.

a. Decoct. Anthemid. nobil. E. Enema.

4. OLEA europaea. *Oleum.* Enema.

8. SUPERTARTRIS POTASSAE. Pulv. dr. 2.—4.

a. Tartris Potassae. E. }
Kali tartarisatum. L. } dr. 2.—6.
Alkali vegetabile tar-
tarisat. D. }

b. Tartris Potassae et Sodae. E. }
Natron tartarisatum. L. } unc. 1.—2.
Sal Rupellense. D. }

Ad Febres. Phlegmas. Haemorrhag. Com-
ata. Colicam.
Choleram, Hydroles. Icterum.

63. CASSIA fistula. E.

C. fistularis. L. D.

Ind. Or. et Occ. *Fruct. Pulpa*. ad libit.

a. Electuar. Cassiae. L. }
fistul. E. } unc. $\frac{1}{2}$.—1.

64. C. SENNA. E.

Senna. L. D.

Aegypt. *Folia*. Pulv. Infus.

a. Pulvis Sennae composit. L. dr. $\frac{1}{2}$.—1.
Febres. &c.

b. Electuar. Cassiae Sennae. E. }
Sennae. L. D. } dr. 2.—6.

c. Infusum Sennae. Simpl. L. }
Sennae. D. } unc. 1.—3.

d. tartarisat. L. }

e. Infus Tamarind. Indic. cum Cass. Senna
E. unc. 1.—3.

f. Tinctura Sennae. comp. E.

Sennae. L. D. unc. $\frac{1}{2}$.—1 $\frac{1}{2}$.

Colicam.

65. FICUS Carica.

Carica. L. D.

Eur. mer. *Fruct*.

66. FRAXINUS Ornus. E.

Manna. L. D.

Eur. mer. *Succ. concret*. Solut. Elect. unc. 1.—1 $\frac{1}{2}$

a Syrupus Mannae. D.

-
67. PRUNUS Domestica. E.
Pr. Gallica. L. D.
Eur. mer. *Fruct.* ad libit.
68. ROSA Damascena. L. D.
Rosa centifolia. E.
Eur. mer. *Petala*.
 a. Aq. Rosae centifol. E.
 Rosae. L. D.
 b. Syrup. Rosae, centifol. E.
 Rosae. L. D.
69. SACCHARUM officinale. E.
Sacch. non purificat. L. D.
Ind. Occid. *Succ. spissat.*
70. TAMARINDUS Indicus. E.
Tamarindus L. D.
Ind. Occ. *Fruct. Pulpa.* unc. 1.—2. Infus.
71. VIOLA odorata. E.
Viola. L. D.
Brit. *Petala*. Infus.
 a. Syrupus Violae odoratae. E.
 violae. L. D.

 3. *Fossilia*.
72. SULPHUR sublimatum.
 a. Sulphur. sublimat. lotum. dr. 1.—2.
 Ad Haemorrhag. Morb. cutan. Obstipat.
73. SAPO Hispanus. L. E. D.
Hispan. Pil. Enema.
Icterus.

B. FORTIORA.

1. *Animalia.*

73. CERVUS Elaphus. E.

Cervus. L. *Cornu cervinum*. D.*Phosphas Calcis*.a. *Phosphas Sodac.* E. unc. 1.—2.2. *Vegetabilia.*6. NICOTIANA Tabacum. Fum. Infus. pro Enemat.
Colicam. Obstipat.35. SAMBUCUS nigra. *Cortex interior* Decoct. unc. 1.
ad lib. 1. in die.

Hydrop.

55. PINUS sylvestris }
56. Larix } Terebinthina. Enemat.

74. ALOE perfoliata. E.

a. *Aloe Saccotrina*.b. *A. Hepatica*.c. *A. Cabalina*. L. E. D.Asia. Ind. Occ. Africa. *Gum-resin*. Pil.
gr. 5.—20.

a. Pulv. Aloes cum Canella. L. gr. 8.—20.

b. Pilulae Alocticae E. D. }
Aloes compos. L. } gr. 10.—20.

c. Aloes cum Colocynth. L. gr. 10.—20.

d. Vinum Aloes Saccotrin. E. unc. 1.—2.

Aloes. L. *Aloetic*. D. unc. $\frac{1}{2}$ —1.e. Tinctura Aloes socotrin. E. }
Aloes. L. } unc. $\frac{1}{2}$ —1 $\frac{1}{2}$.

Dyspeps. Hypochondrias. Chloros.
Icter. Obstipat.

75. BRYONIA alba. E.

Bryonia. D.

Brit. *Rad.* Decoct. Pulv. scr. 1.—2.

Maniam. Hydrop.

76. CONVULVULUS Jalapa. E.

Jalapium. L.

Jalapa. D.

Amer. *Rad.* Pulv. Bolus. gr. 15.—30.

a. Pulvis Jalapae compos. E. dr. $\frac{1}{2}$.—1.

b. Extract. Rad. Convol-
vul. Jalapae. E. } gr. 5.—12.
Jalapii. L.

c. Tinctur. Convolvul. Jalapae. E. dr. 3.—6.

Tinctur. Jalapii. L. T. *Jalapae*. D. dr. 2.—4.

77. CONV. Scammonium. E.

Scammonium. L. D.

Asia. *Resin.* Pulv. Bol. Pil. gr. 5.—15.

a. Pulvis Scammon. comp. L. gr. 8.—15.
E. gr. 10.—30.

b. cum Aloe. L. gr. 5.—12.

c. Electuar. Scammonii. L. D. gr. 15.—30.

Hydrop. Vermes.

78. CUCUMIS colocynthis. E.

Colocynthis. L. D.

Syria. *Fructus medulla*. Pil. Bol. gr. 2.—5.

a. Extract. Colocynth. comp. L. gr. 5.—15

79 GRATIOLA officinalis E.

Gratiola. D.

Eur. mer. *Herba*. *Radix*. Decoct. Pulv. gr. 15.—30.

80. HELLEBORUS niger. E. D.

Melampodium.

Eur. mer. *Rad.* Pulv. Pil.

a. Extract. Hellebor. nigri. E. gr. 3.—6.

Hydrop.

81. HELLEB. foetidus.

Helleboraster. L.

Brit. *Rad.* Fol. Decoct.

82. IRIS Pseudacorus.

Iris. D.

Brit. *Rad. recens*. Succ. express. gtt. 60.—80.

Hydrop.

83. LINUM catharticum. D.

Brit. *Herba*. Infus. Pulv. dr. 1.

84. MOMORDICA Elaterium. E.

Cucumis agrestis. L.

Brit. *Fructus recens*.

a. Succ. spiss. Momordic.

Elater. E.

Elaterium. L.

Hydrop.

} gr. 1.—3.

85. RHAMNUS Catharticus. E.

Spina cervina. L.

Brit. *Bacca*. Succ. express.

a. Syrupus Rhamni cathart. E.

spinæ cervinae. L. } dr. 6.—12.

Hydrop.

6. RHEUM palmatum. E.

Rhabarbarum. L. D.Russia. Ind. *Rad.* Pulv. Bol. Pil. gr. 10.—40.

a. Infusum Rhei palmati. E. unc. 1.—3.

b. Vinum Rhei palmati. E. dr. 2.—6.

Vinum Rhabarbari. L. unc. 1.—2.c. Tinctura Rhei palmat. E. } unc. $\frac{1}{2}$.—1 $\frac{1}{2}$.
Rhabarbari. L. }

d. Rhabarbari comp. L. unc. 1.

e. Rhei et Aloes. E. dr. 4.—6.

f. Gentian. E. dr. 4.—6.

Febres. Dysenter. Dyspeps. Hypochond.
Icterus.

7. RICINUS communis. E. L. D.

Ind. Occ. *Seminum Ol. express.* dr. 3.—unc. 1.

8. STALAGMITIS Cambogioides. E.

Gambogia. L. D.Ind. *Gum-resin.* Pil. g. 3.—15.

3. Fossilia.

1. SULPHURETUM ANTIMONII.

Tartris Antimonii gr. $\frac{1}{4}$. 4ta. quaq. hor.

Dysenter.

5. HYDRARGYRUM.

b. Submurias Hydrargyri. gr. 1.—4.

c. Submurias Hydrargyri prae-
cipitat. E.*Hydrargyr. muriat. mitis.* L.*Hydrarg. mur. mit. prae-*
cip. D.

d. Pilulae Hydrargyri. E. D. L. }

} gr. 3.—10.

Phlegmas. Comata. Colicam. Icterum.
Obstipat. &c.

61. NITRAS POTASSAE.

c. Sulphas Potassae. E.

Kali vitriolatum. L.

Alkali vegetabile vitriolat. D. } dr. 1.—2.

89. MURIAS SODAE. E.

Natron muriatum. L.

Alkali fossile muriatum. D.

Brit. Solut. unc. $\frac{1}{2}$.—1. Enem.

a. Sulphas Sodae. E.

Natron vitriolatum. L.

Alkali fossile vitriolat. D. } unc. 1.—2.

90. SULPHAS MAGNESIAE. E.

Magnesia vitriolat. L. D.

Brit. Solut. Enem. unc. $\frac{1}{2}$.—1 $\frac{1}{2}$.

Dysenter. &c.

Formulae.

42. R. Sulphur. Sublim. lot.

Supertart. Potass. aa unc. 1. M. f. Pulv.

Signr. A tea spoonful to be taken with a litt
milk occasionally at bed time.

43. R. Sulphur. Sublimat: lot.

Supertartrit. Potass. aa unc. $\frac{1}{2}$.

Elect. e Cassia senna. unc. 1.

Syrup. Rhei q. s. f. Elect.

Signr. *The bigness of a nutmeg or a walnut to be taken occasionally at bed time.*

14. R. Tartrit Potass. unc. $\frac{1}{2}$.

Infus. Sennae tartar. unc. 5.

Tinct. Sennae comp. unc. $1\frac{1}{2}$.

Syr. Ros. centifol. unc. $\frac{1}{2}$. M.

Signr. *Three table spoonful to be taken every two hours till the proper effect is produced.*

15. R. Decoct. Anthem. nob. unc. 6.

Elect. Cassiae Sennae. unc. 1.

Ol. Oleae. unc. 1. M. f. Enema.

16. R. Mannae. unc. $1\frac{1}{2}$.

Supertart. Potass. unc. $\frac{1}{2}$.

Syr. Rhei. q. s. f. Elect.

Signr. *A tea spoonful to be given every hour till it answer. For children.*

17. R. Terebinth. Venet. unc. $\frac{1}{2}$.

Mucilag. Mim. Nilot. q. s.

Decoct. Avenae. unc. 8. M. f. Enema.

18. R. Aloes Socotrin. in Pulv. trit. dr. $\frac{1}{2}$.

Succ. spiss. Hyoscyam. nigr. gr. 15.

Electuar. Aromat. q. s. f. mass in Pill 10. dividend.

One or two to be taken every night.

Obstipat. cum dolore.

19. R. Pulv. Rad. Convolv. Jalap. gr. 10.

Submuriat Hydrargyr. gr. 3. ad 5.

M. f. Pulv.

Signr. To be taken early in the morning in a little honey.

50. *R.* Gum-resin Gambog. gr. 4.

Sacch. Purificat. gr. 10.

Simul tere et adde

Submuriat Hydrarg. gr. 3.

Extr. Colocynth comp. (Ph. L.) q. s. f. Pil. 8.

Signr. One to be taken in the morning, and the remainder half an hour after.

Hydrop. Maniam.

51. *R.* Pulv. Rhei palmat. dr. $\frac{1}{2}$.

Submuriat Hydrargyr. gr. 3.—4.

Ol. Caryophyll. aromat. gr. 2.

Aquae distillat. q. s. f. Bolus.

Signr. To be taken early in the morning.

52. *R.* Pulv. Rhei palmat. scr. 2.

Submuriat Hydrarg. gr. 6.

Pulv. Cort. Laur. Cinnam. gr. 10.

Syrup. Amom. Zingib. q. s. f.

Mass in Pill 18. dividend.

Signr. Three to be taken every five or six hours.

In Icterum.

53. *R.* Pulv. Rhei palm. p. gr. 25.

Tartrit Potass. dr. 2.

Tinct. Senn. comp. dr. 3.

Syr. Rhei. dr. 1.

Aq. menth. pip. unc. $1\frac{1}{2}$.

M. f. Haust.

Signr. To be taken in the morning.

54. R. Ol. Ricin. com. unc. 2.
 Mucilag. Mimos nilot. unc. 1.
 Simul bene tere et adde
 Syr. Rhei palmat.
 Tinct. Senn. comp. aa unc. $\frac{1}{2}$.
 Aq. Destillat. unc. 4. M. f. Emuls.
 Signr. *Three or four table spoonsful to be
 taken every two hours till it answers.*
 Colica, &c.

CLASS. VI. EMMENAGOGA.

1. *Animalia.*

1. MURIAS AMMONIAE.

b. Carbonas Ammoniae.

91. CASTOR Fiber. E.

Castor. L. D.

Russia Amer. *Mater. prope anum collecta.*

Pulv. Pil. gr. 10.—20. Enem. scr. 2.—dr. 1.

a. Tinctura Castor. L. E. D. gtt. 20.—dr. 1.

b. compos. E. gtt. 20.—dr. 1.

2. *Vegetabilia.*

2. ANTHEMIS nobilis. Pulv. Infus. fort.

a. Extract. Anthem. nobil. E. } gr. 15.—30.
 Chamaemcl. L. D. }

4. AMMONIACUM. Pil. gr. 10.—scr. 1.

7. FERULA Asa foetida. Pil. gr. 10.—20.

- b. Pil. Asae foetid. comp. E. gr. 15.—30.
 c. Tinctur. Asae foetid. L. E. D. dr. 1.—2.
 d. Alcohol. Ammoniat. foetid. E.
 Spir. Ammoniae foetid. L. } gtt. 30.—
 Alkal. volatil. foetid. D. } dr. 1.

19. MARRUBIUM vulgare. Infus.

20. MYRRHA.

- a. Pulvis Myrrh. comp. L. gr. 15.—20.

37. SOLANUM Dulcamara.

74. ALOE perfoliata. Pil gr. 1. ter in die.

- f. Pulv. Aloes cum Myrrh. L. gr. 15.—30.

- g. Pil. Aloes cum Myrrh. L. gr. 8—15.

E. gr. 5.—12.

- h. cum Asa foetida. E. gr. 10.
bis in die.

- i. Tinctura Aloes compos. L. unc. 1.
cum Myrrha. dr. 2.—4.

75. BRYONIA alba. Pulv. gr. 10.—20.

80. HELLEBORUS niger.

- b. Tinctura Hellebor. nigr. E. dr. 1. bis
in die.

86. RHEUM palmatum. Pulv. gr. 5.—10. bis in die.

- g. Pilul. Rhei compos. scr. 1.—dr. $\frac{1}{2}$.

92. ARNICA montana. E. L.

German. *Flores*. Infus. scr. 1.—2. in die.

93. Bubon Galbanum. E.

Galbanum. L. D.

Afric. *Gum-resin*. gr. 10.—20.

a. *Tinctura Galbani*. L. dr. 1.

b. *Pilul. Galbani compos.* gr. 15.—30.

94. *Juniperus Sabina*. E.

Sabina. L. D.

Asia. *Fol. Pulv.* gr. 10.—15. bis in die.

a. *Extract. Sabinae compos.* L. D. gr. 5.—10.
bis in die.

b. *Tinct. Sabinae* L. gtt, 40.—60.

95. *PASTINACA* *Opopanax*. E.

Opopanax. L. D.

Eur. mer. *Gum-resin*. Pil.

96. *ROSMARINUS officinalis*. E.

Rosmarinus. L. D.

Eur. mer. *Summitat.* Infus.

97. *RUBIA tinctorum*. E.

Rubia. L. D.

Brit. Zealand. *Rad. Pulv.* dr. $\frac{1}{2}$.—1. ter in die.

98. *RUTA graveolens*.

Ruta. L. D.

Eur. mer. *Herba.* Infus.

a. *Extract. Rutae*. L. D.

99. *SAGAPENUM* L. E. D.

Aegypt. *Gum-resin*. Pil.

3. *Fossilia.*

45. *HYDRARGYRUM.*

b. *Submurias. Hydrargyri.* gr. 3.—5.

c. praecip. gr. 5.—10.

d. *Pilulae Hydrargyr.* gr. 10.—20.

100. FERRUM. E. L. D.

Brit. &c.

- * *a.* Carbonas Ferri. E. } scr. 1.—dr. 1. bis
Rubigo Ferri. L. D. } in die.
b. Carbonas Ferri praecip. E. gr. 5.—15.
c. Aqua Ferri Aerati. D. lib. $\frac{1}{2}$.—1. in die.
d. Sulphas Ferri. E. } gr. 1.—5. bis in
Ferrum vitriolat. L. D. } die.
e. Vinum Ferri. L. dr. 2.—4.
f. Tinctur. Muriatis Ferri. }
E. } gtt 10.—20. bis
Ferri muriat. } terve in die.
L. D. }

Formulac.

55. R. Tinct. Castor.

Alcoh. Ammoniat. foetid. aa unc. $\frac{1}{2}$.

M. Sint Guttae.

Signr. *A tea spoonful to be taken three times a day, in a cup of strong Chamomile tea.*56. R. Asae foetid. dr. $1\frac{1}{2}$.Extract. Anthem. nob. dr. $\frac{1}{2}$.

Syr. Cort. citr. Aurant. q. s.

F. Mass in Pill. 36. dividend.

Signr. *Three to be taken three times a day.*

57. R. Pulv. Juniper. Sabin.

Amom. Zingib. aa gr. 10.

Sub.—borat. Sodae. gr. 15. M. f. Pulv.

Signr. *To be taken twice a day.*

* The quantity of Carbonic Acid in these two preparations, scarcely entitle them to the name of *Carbonat*: they are rather Carbonated Oxides, or what Dr Thomson calls *Oxy-carbonats*.

58. *R. Infus. Anthem. nobil. (cum unc 1. ad lib. 1.)*
unc 8.

Extract Junip. Sabin. dr. 1.

Solve pro Enemate.

Signr. *To be repeated twice a day.*

CLASS VII. ERRHINA.

1. *Vegetabilia.*

3. ASARUM europaeum. Pulv.

a. Pulvis Asari europ. compos. E.

Asari compos. L.

6. NICOTIANA tabacum. Pulv.

96. ROSMARINUS Officinalis. Pulv.

101. IRIS florentina.

Iris. L.

Ital. Rad. Pulv.

102. LAVANDULA spica. E.

Lavendula. L. D.

Eur. mer. Flores. Pulv.

103. ORIGANUM majorana. E.

Majorana. L. D.

Eur. mer. Folia. Pulv.

104. Teucrium marum.

Marum syriacum. L.

Eur. mer. Herba. Pulv.

105. VERATRUM album. E.

Helleborus albus. L. D.Eur. mer. *Rad.* Pulv.*Fossilia.*

45. HYDRARGYRUM.

f. Subsulphas Hydrarg. flav. E. } gr. 1. bis.*Hydrargyr. vitriolat.* L. D. } in die.*Formula.*

59. R. Subsulphat. Hydrargr. flav. praep. gr. 10.

Pulv. Asari europ. comp. dr. 1. M. f. Pulv.

Signr. *A small pinch to be taken night and morning.*

Comata. Caligin.

CLASS VIII. SIALAGOGA.

1. *Vegetabilia.*31. DAPHNE Mezereum. *Rad.* masticat.

Odontalg. Paralys.

106. AMOMUM Zingiber. E.

Zingiber. L. D.Ind. Occ. *Rad.* masticat. Infus.

Odontalg.

107. ANTHEMIS Pyrethrum. E.

Pyrethrum. L. D.Eur mer. *Rad.* masticat. Infus.

108. PISTACIA lentiscus. E.

Mastacia. L. D.Eur. merid. *Resina*. Masticat.*Fossilia*.

45. HYDRARGYRUM.

a. Hydrargyrum purificatum.

b. Submuriās Hydrargyri. gr. 1.—2. bis in die.

c. Muriās Hydrargyri. gr. $\frac{1}{8}$.— $\frac{1}{4}$. bis terve in die.

d. Submuriās Hydrarg. praecip. gr. 2. bis in die.

e. Pilulae Hydrargyri. gr. 6.—8. bis in die.

g. Oxidum Hydrargyri cinereum. E.	} gr. 2. bis in die.
<i>Pulvis Hydrargyri cinereus</i> . D.	

h. Unguentum Hydrargyr. E. scr. 4.	} alternis vel singulis noctibus,
L. D. scr. 2.	
L. D.	

i. Hydrargyr. calcinatum. L. gr. $\frac{1}{2}$. bis in die.

k. Acetis Hydrargyri. E.	} gr. 2.
<i>Hydrargyr. acetatum</i> . L. D.	

l. Hydrargyrus sulphurat. ruber. L. externe.

m. Sulphuretum Hydrargyri nigrum.

Hydrargyr. cum Sulphure. L.*Hydrargyr. sulphuratus niger*. D.Ad Febrem flav. Phrenit. Hydrocephalic.
Ophthalm.Cynanch. tracheal. Hepatit. chronic. Com-
ata. Tetanum.

Hydrophob. Hydrop. Chloros. SYPHILID.
Lepr. Icterum. Psorain. Vermes.

Formulae.

60. *R.* Hydrargyr. purificat.
Extr. Rad. Glycyrrh. glab. moll. dr. 2. simu-
tere donec Hydrargyrum penitus visum
effugerit et adde
Extr. Conii maculat. dr. 1.
M. et Massam divide in Pil. 60.
*Signr. Two or three to be taken night and
morning.*
61. *R.* Oxid. Hydrargyr. ciner. scr. 2.
Sapon. Hispan. dr. 1.
Syr. cujuslib. q. s. f. Pill 20.
*Signr. One or two to be taken night and morn-
ing.*
62. *R.* Unguenti Hydrargyr. fort.
Acetit. Plumbi. p. ae. M. f. Ung.
*Signr. The ointment to dress the parts affect-
ed.*
To chancres.
63. *R.* Hydrarg. calcinat. praep. gr. 12.
Pulv. Opii. gr. 6.
Cons. Ros. q. s. f. Pil. 24.
*Signr. One to be taken every night, and after-
wards every night and morning.*

64. R. Acetit Hydrargyr.

Mannae.

Pulv. Nimos. nilot. aa scr. 1.

Aq. Ros. Centifol. q. s. f. Mass in Pill 20. dividend.

Signr. *Three to be taken every night.*

65. R. Muriat. Hydrargyr. corros. gr. 1.

Alcohol. dilut. unc. 2. solve.

Signr. *A tea-spoonful to be taken night and morning, in a cup of Lintseed tea.*

66. R. Tinct. Benzoes comp. (Ph. L.) dr. 2.

Mellis despumat. unc. $\frac{1}{2}$. simul tere et adde

Muriat Hydrargyr. (in Spirit. Laur. Cinnamom. (unc. $\frac{1}{2}$. solut.) gr. 1. ad. $1\frac{1}{2}$.

Aq. Laur. Cinnam. unc. 7.

Tinct. Opii. gtt. 30. M.

Signr. *Three or four table spoonfuls to be taken twice a day.*

67. R. Muriat. Hydrargyr. corros. gr. 3.

Decoct Hordei. unc. 7. solve et adde

Syr. Toluif. Balsam. unc. 1. M. f. Garg.

68. R. Sulphuret Potass.

Sacch. Alb. purificat. aa dr. 1.

Simul tere et divide in Pulv. 6.

Signr. *One to be swallowed dry, twice or thrice a day.*

Ad Ptyalism.

69. R. Succ. Limon. unc. 1.

Tinct. Opii. unc $\frac{1}{2}$.

Aq. Rosae centifol. unc. $1\frac{1}{2}$. M.

Signr. *The mouth to be washed with some of this Lotion, three or four times a day.*

Ad Ptyalism. *

CLASS IX. EMOLLIENTIA.

1. *Animalia.*

109. ACIPENSER Huso. Sturio. &c. E.

Icthyocolla. L. D.

Russia. *Decoct.* ad libit.

110. OVIS Aries. E.

Ovis sebum. L.

Sebum ovillum. D.

Brit. *Ungt. Liniment. Cerat.*

111. PHYSETER macrocephalus. E.

Sperma Ceti. L. D.

Sebum. Unguent. &c.

112. SUS scrofa. E.

Adeps suillum. L. D.

Brit. &c. *Adeps. Unguent. &c.*

a. *Linimentum simplex.* E.

b. *Unguentum Adipis suillae.* L.

c. *simplex.* E.

d. *Unguentum spermatis Ceti.* L. D.

e. *Cerae.* L. D.

f. *Ceratum simplex.* E.

g. *Spermatis Ceti.* L. D.

* These two last medicines, are intended to check excessive salivation or alleviate its effects, and it was thought they could not be placed in a more convenient situation than after the Sialagogue remedies.

13. CERA alba. et flava. E. L. D.

Brit. *Emuls. Unguent. &c.*

Ad Diarrhoeam. Dysenter. Ulcera.

2. *Vegetabilia.*

OLEA europaea. Liniment. &c. et interne.

14. ALTHEA officinalis. E.

Althea. L. D.Brit. *Rad.* Decoct. ad libit.

a Decoct. Altheae officinal. E. ad libit.

b. Syrupus Altheae. E. L.

15. AMYGDALUS communis. E.

Amygdal. dulc. et amar. L. D.Eur. mer. *Fructus nucl. et Ol. express.*

a. Emulsio Amygdali communis E. } ad libit.

Lac Amygdalae. L. D.

Ad Febres. Pneumon. Catarrh. &c.

b. Oleum Amygdali communis.

16. ASTRAGALUS Tragacantha. E.

Gum Tragacantha. L. D.Eur. mer. *Gummi.* Pulv. Solut. ad libit.

a. Mucilago Astragali Tragacanthae. E.

Mucilag. Tragacanthae. L.*Mucilag. Gum. Tragacanthae.* D.

b. Pulvis Tragacanthae comp. L. dr.1.—4.

17. AVENA sativa. E.

Avena. L. D.Cult. *Semen.* Decoct. ad libit.Febres. Pneumon. Catarrh. Dysenter. Diarrhoea.
&c.

Brit. *Folia*. Decoct.

a. Decoctum pro Enemate. L.

25. MELISSA officinalis. E.

Melissa. L. D.

Cult. *Herba*. Infus.

26. MIMOSA nilotica. E.

Gummi Arabicum. L. D.

Arab. Senegal. *Gum*. Pulv. Solut. ad libit.

a. Mucilago Mimosae niloticae. E. }

Arabici Gummi. L. D. }

b. Emulsio Mimos. nilot. E. }

Arabica. L. D. }

c. Trochisci Gummosi. E. }

Catarrh. Pneumon. Diarrh. Blenorrh. }

27. PYRUS Cydonia. E.

Cydonia Malus. L.

Cult. *Semen*.

a. Mucilago Seminis Cydoniae mali. L.

28. SARCOCOLLA.

Asia succ. spissat.

28. TRITICUM hibernum. E.

Amylum. L.

Cult. *Semen*.

a. Mucilago Amyli. E. D. }

b. Trochisci Amyli. L. }

ad libit.

29. VITIS vinifera. E.

Vitis. L. D.

Fruct. sicc. *Uvae passae*.

Decoct ad libit.

Formulæ.

70. R. Pulv. Gum. Mimos. nilot.

Astrag. Tragacanth.

Amyli. aa unc. 1.

Cons. Ros canin. unc. 1.

Syr. Toluifer. Balsam. q. s. f.

Elcet.

Signr. *A tea spoonful to be taken frequently.*

Catarrh. Pneumon. Dysur. Blenorrh.

71. R. Cons. Ros. canin. unc. 1.

Syr. Papav. Rhocac.

Ol. Amygdal. com. aa unc. 1.

Acid Sulphuric. gtt. 10. M f. Linctus.

Signr. *A tea spoonful to be taken frequently especially when the cough is troublesome.*

72. R. Adip. Physct. macrocephal. p. dr. 3.

Mucilag Mimos. nilot. unc. 1.

Simul optime terc et adde

Syr. Croci sativ.

Spt. Laur. Cinnamom aa unc. $\frac{1}{2}$.

Aq. Destillat. unc. 4. M. f. Emuls.

Signr. *Three table spoonfuls to be taken three or four times a day.*

Vel candem divide in Haust. 4.

Catarrh. Pneumon. Hæmopt. &c.

73. R. Pulv. Gum. Mimos. nilot. dr. $\frac{1}{2}$.

Sacchar purificat. scr. 1.

Amyli gr. 10. M. f. pulvis.

Signr. *One to be taken frequently. For children.*

4. R. Ol. Amygdal. com. unc. 2.
 Aq. Ammonizæ gtt. 30.
 Destillat. unc. 5.
 Syr. Toluif. Balsam. unc. $\frac{1}{2}$.
 Tinct. Opii. gtt. 30. M. f. Emuls.
 Signr. *Two table spoonsful to be taken three times a day, and one occasionally when the cough is troublesome.*
 Catarrh. Pneumon. Phthis.
5. R. Decoct. Hordei. unc. 7.
 Mucilag. Mim. nilot. unc. 1.
 Tinct. Opii. dr. $\frac{1}{2}$ M. f. Enema.
 Signr. *To be given every six hours.*
6. R. Succ. spiss. Hyoscyam. nigr. dr. $\frac{1}{2}$.
 Syrup. Toluif. Balsam. dr. 2. simul tere et adde
 Extract. Glycyrrhiz. glab. mollefact. dr. 3.
 Sacch. Alb. in pulv. trit. dr. 3.
 Pulv. Gum. Mimos. nilot. q. s. f.
 Massa in Trochisc. 60 dividend.
 Signr. *One to be given frequently when the cough is troublesome.*

CLASS X. REFRIGERANTIA.

1. Vegetabilia.

5. ACIDUM ACETOSUM dilutum ad libit. extern.
 a. Acetis Potassæ. dr. 2. ad aq. lib. 1. in die.
 b. Aqua Acetitis Ammonizæ, unc. $\frac{1}{2}$. freq.
 Febres. Phlegmas.

38. SUPERTARTRIS POTASSAE solut. ad libit.

70. TAMARINDUS Indica.

Fructus ad libit.

Febres.

131. BERBERIS vulgaris.

Berberis. D.

Brit. *Fructus*.

Febres.

132. CITRUS medica. E.

Limonium. L. D.

Eur. mer. et Ind. Occ. *Fruct succ. rec. e*
crystall.

a. Syrup. Citri. medic.

Limonii. L. D.

Febres.

133. CITR. Aurantium. E.

Aurantia. L. D.

Eur. mer. *Fruct. succ. recens.*

134. COCHLEARIA officinalis. E.

Cochlearia. D. C. *hortens*. L.

Brit. *Herba*. et succus.

a. Succ. Cochlear. comp. E. L. ad libit.

Ad Scorbutum.

135. MORUS nigra.

Morus. L.

Cult. *Fructus*.

a. Syrupus Fruct. Mori. L.

36. OXALIS Acetosella.

*Lijula. L.**Acetosella. D.*Brit. *Herba. Succ.*

a. Conserv. Acetosellae. D.

Lijulæ. L.

37. RIBES nigrum. L. D.

Brit. *Fruct.*

a. Succ. spissat. Rib. nigr. L.

b. Syrup. succ. Rib. nigr. L.

38. RIBES rubrum. L. D.

Brit. *Fructus.*

39. ROSA canina. E.

*Cynosbatus. L.*Brit. *Fruct.*

a. Conserva Rosæ caninæ. E.

Cynosbati. L.

40. RUBUS Idaeus. L. D.

Brit. *Fructus.*

a. Syrup. Fruct. Rub. Idaei. L. D.

41. RUMEX Acetosa. E.

*Acetosa. D.**Acet. pratensis. L.*Brit. *Folia.*

42. SISYMBRIUM Nasturtium. E.

*Nasturt. aquatic. L. D.*Brit. *Herba.*

Ad Scorbutum.

143. VERONICA. Beccabunga.

*Beccabunga. L.**Brit. Herba.*

Ad Scorbutum.

2. *Fossilia.*

12. Zineum.

a. Sulphas Zinci. Externe pro Lotione.

61. NITRAS POTASSAE.

a. Acid. nitrosum. dr. 1.—2. ad Aq. lib. 1.
in die.

Febres, &c.

b. Spirit. aetheris nitrosi. L. E. } gtt. 30.—
aethereus nitros. D. } dr. 1.

c. Trochisci Nitratis Potass. E.

Nitri. L.

Febres. Phlegmas. Hæmorrh. Maniam.

89. MURIAS SODAE.

a. Acidum Muriaticum. gtt. 20.—40. dilut.
subind.

Febres.

144. ACIDUM SULPHURICUM. E.

*Vitriolicum. L. D.*a. Acidum Sulphuric. dilutum. E. } ut Ac.
vitriolic. dilut. L. D. } Mur.

Febres. Hæmorrhag.

145. PLUMBUM. E. L. D.

a. Acetis Plumbi. E. *

* It is now found that there are two acetates of lead, an acetate which crystallizes in scales, and this salt, which containing an excess of acetic acid must be called *Super-acetas Plumbi*.

Cerussa Acetata. L. D.

Interne ad Hæmorrhag. sed cautissime.

b. Aqua Lithargyr. acetati, L. } Externe.
 Liquor Litharg. acetat. D. }

c. Aqua Lithargyr. acetat. comp. L.
 Liquor Litharg. acetat. comp. D.

d. Unguent. Acetit. Plumb. E.

Ceruss. acetat. L.

e. Cerat. Litharg. acetat. comp. D.

Ad Phlegmasias. &c.

Formulae.

77. R. Aq. Acetit. Ammon.

Ros. centifol. aa. unc. 1.

M. f. Collyr.

Signr. *The eye water to be used frequently.*

Ophthalm.

78. R. Nitrat. potass. gr. 10.

Super-tartr. potass. scr. 1. M. f. Pulv.

Signr. *One to be taken three or four times a day.*

Phlegmas. Hæmorrh.

79. R. Syr. Moror. vel Limon. unc. 1.

Acid. Muriat. dr. 1.

Aq. Destillat. unc. 7. M. f. Julep.

Signr. *Three or four table spoonful to be taken every four or five hours.*

Vel divide in haust. 4.

Febres.

80. *R.* Nitrat. potass. dr. 1. ad 2.
 Syr. Limon. unc. 1.
Aq. Menth. sativ. unc. 7. *M. u. s.*
 Febres et Phlegmas. Hæmorrh.

CLASS XI. ASTRINGENTIA.

1. *Vegetabilia.*

146. HAEMATOKYLUM campechian. *E.*
Hæmatoxylum. *L. D.*
Americ. Lign. Decoct.
a. Extract. Lign. Hæmat. camp. *E.* } gr.
Haematoxyl. *L. D.* } 10-30.
147. JUGLANS regia.
Juglans. *L.*
Brit. Fruct. immatur. Decoct. Externe.
 Ulcera.
148. KINO. *E. L. D.*
Africa Pulv. Solut. gr. 15.—30.
Tinct. Kino. E. D. dr. 1.—2.
 Diarrh. Dysent. Menorrh.
149. MIMOSA Catechu. *E.*
Catechu. *L. D.*
India. Extract. lign. Pulv. Solut. scr. 1.—2.
a. Infus. Mimos. Catechu. *E.* unc. $\frac{1}{2}$.— $1\frac{1}{2}$.
b. Tinct. Mimos. Catechu. *E.* } dr. 1.—3.
Catechu. *L.* }
c. Elect. Catechu. *E.* }
 Comp. *D.* } scr. 2.—4.
 Diarrh. Dysenter.

-
-
150. POLYGONUM Bistorta.
Bistorta. L. D.
Brit. *Rad.* Pulv. dr. $\frac{1}{2}$.—1. Decoct.
151. POTENTILLA reptans.
Pentaphyllum. L.
Brit. *Fol.*
152. PRUNUS Spinosa.
Prun. sylvestris. L.
Brit. *Fruct.* ad libit.
Conserv. *Prun. sylvestris*. L. dr. 1.—3.
Diarrh.
153. PTEROCARPUS Draco. E.
Sanguis Draconis. L. D.
Amer. merid. *Resina*.
154. PUNICA granatum.
Granatum. L.
Flor. Balaust. D.
Eur. Merid. *Flor. Cort. Fruct.*
Decoct. ad Gargar. ad libit.
155. QUERCUS cerris. E.
Gallæ. L. D.
Asia. *Cyniphis nidus*. Pulv. Inf. Ungt.
156. QUERCUS robur. E.
Quercus. L. D.
Brit. *Cort.* Decoct. Externe.
Scarlatin. Angin.—Uvulæ relaxat.
Hæmorrh. Menorrhag.
157. ROSA Gallica. E.
Ros. Rubr. L. D.

Eur. Merid. Brit. *Petal.* Inf. Conserv. ad libit.

a. Inf. Ros. Gallic. E. }
 Rosæ. L. } ad libit.
 Rosar. D. }

b. Conserv. Ros. gallic. E.
 Rosæ. D.
 Ros. rubr. L.

c. Syrup. Ros. Gall. E.

d. Mel. Ros. L. D.
 Hæmorrh. Cynanchen, &c.

158. *TORMENTILLA erecta.* E.

Tormentilla. L. D.

Brit. *Rad.* Decoct. unc. $\frac{1}{2}$.—1.

Diarrhœa.

2. *Fossilia.*

10. *SULPHAS CUPRI.* gr. $\frac{1}{2}$.—1. bis terve in die.

Febr. Intermitt.

Inject. Lot. Collyr.

a. Solut. Sulphat. Cupri. E.

b. Liquor Cupri Ammoniat. D.

Aq. Cupri. Ammon. L.

Ophthalm. Gonorrhœa.

12. *ZINCUM.*

a. Sulphas Zinci. gr. 2.—5. bis terve in die
 Febres Intermitt.

b. Solutio Acetit. Zinci. Collyr. Inject.

c. Aqua Zinci Vitriolat. cum Camphora. L.
 Ophthalm. Blenorh.

100. *FERRUM.*

Tinctura Muriat. Ferri. gtt. 10.—20. ter i
 die.

Menorrhag. cum debilitate.

145. PLUMBUM.

a. Acetis Plumbi. Lotion.

159. SUPER-SULPHAS ALUMIN. & POTASS.

Sulphas Alumin. E.*Alumen.* L. D.

Brit. Pulv. Solut. gr. 5.—15.

Externe p. Gargar. & Lotione.

a. *Sulphas Alumin. exsicc.* E.*Alumen ustum.* L.

b. Pulvis Sulphat. Alumin. comp. E.

gr. 15.—30.

c. Cataplasma. Aluminis. L.

Ophthalm.

d. Aqua Alumin. comp. L. pro Lotione.

Formulae.

81. R. Extract Hæmatox. comp. dr. 1.

Pulv. Rhei. palmat. dr. $\frac{1}{2}$.

Opii. gr. 3.

Electuar. Aromat. q. s. f. mass in Pil. mediocr. dividend.

Signr. *Three or four to be taken twice or three times a day.*

82. R. Kino. p. dr. 2.

Pulv. Gum. Mim. nilot. dr. 1.

Syr. Papav. somnifer. q. s.

f. Linctus.

Signr. *A tea spoonful to be taken occasionally.*

83. R. Mist. Cretæ unc. 7.

Tinct. Mimos. Catechu. unc. 1. M.

Signr. *Three spoonsfull to be taken every four hours, and one after every loose stool, first shaking the phial.*

84. R. Succ. Spissat. Mimos. Catechu. in pulv. trit.
dr. 1.

Magnesiae. dr. 2.

Conserv. Ros. Gallic.

Cort. Citr. Aurant. aa unc. 1.

M. f. Elect.

Signr. *The bigness of a nutmeg to be taken every three or four hours.*

Ad Diarrh. cum debilitate Intestinorum.

85. R. Pulv. Gall. dr. $\frac{1}{2}$.

Aq. Destillat. fervent. unc. 8.

Infunde per horam, cola et colaturae adde
Mellis despumat. unc. $\frac{1}{2}$.

Vin. Rubr. Lusitan. unc. 1. M. f. Garg.

Signr. *To be used three or four times a day.*

In relaxatione Uvulae.

86. R. Decoct. Cort. Querc. rob. (cum unc. 2. ad
lib. 1.) lib. 1.

Tinct. Mimos. Catechu. unc. 1. M. f. Lotio.

Signr. *The lotion to be applied cold to the parts affected three or four times a day.*

Menorrhag. Haemorrhoid.

87. R. Pulv. Cort. Querc. Rob. dr. $\frac{1}{2}$.

Flor. Anthemid. nobil. scr. 1. M. f. Pulv.

Signr. *To be taken every two or three hours.*

Febr. Intermitt.

-
38. *R. Infus. Ros. gallic. (cum dupl. Acid.) unc. 7.*
Tinctur. Kino.
Syrup. Citr. medic. *aa.* unc. $\frac{1}{2}$. M.
Signr. *Three spoonsfull to be taken every four hours.*
Haemorrhag.
39. *R. Conserv. Ros. gallic. unc. 1.*
Fruct. Prun. domest. unc. $\frac{1}{2}$.
Tinctur. Opii. gtt. 40.
Syrup. Ros. gallic. q. s. f. Elect.
Signr. *A tea spoonfull to be taken frequently.*
Diarrh. Dysenter. protract.
40. *R. Infus. Ros. gallic. unc. 7.*
Mell. Ros. *vel*
Syrup. Ros. gall. unc. 1. M. f. Garg.
Signr. *To be used frequently.*
Cynanch.
41. *R. Sulphat. Zinci. gr. 8.*
Aq. Rosæ centifol. unc. 4. Solv.
Signr. *To be injected twice or thrice a day.*
Leucorrh. Blenorh.
-

CLASS XII. TONICA.

2. ANTHEMIS Nobilis. Pulv. gr. 10.—scr. 1. Infus.
unc. $\frac{1}{2}$. ad lib. 1.
4. CENTAUNEA benedicta. Infus.
9. MARRUBIUM Vulgare. Infus.

20. MYRRHA. Pulv. Pil. gr. 10.—20.

a. Pulv. Myrrh. Comp. gr. 20. ad 30.

31. DORSTENIA Contrajerva. Pulv.

Pulv. Contrajerv. Comp. L. gr. 20.—30.

130. VITIS Vinifera.

Vinum rubrum Lusitanum.

160. ÆSCULUS Hippocastanum. E.

Asia. Brit. Cort. Pulv. dr. $\frac{1}{2}$.—scr. 2.

Decoct. unc. 1. ad lib. 1.

161. ANGUSTURA. E. L. D.

Ind. Occident. Cort. Pulv. gr. 15.—dr. $\frac{1}{2}$. Inf

162. CHIRONEA. Centaur. *Gentian.* Cent. E.

Centaur. Min. D.

Brit. *Summitat.* Infus.

163. CINCHONA Officinalis. E.

Cinchona. L.

Cort. Peruv. D.

Peru. Cort. Pulv. dr. $\frac{1}{2}$.—2. Electuar. Enem.
dr. 1.—3.

a. Inf. Cinchon. Off. E. }
Cort. Peruv. } unc. 2.—4.

b. Decoct. Cinchon. Off. }
Cort. Peruv. } unc. 3.—6.

c. Tinct. Cinchon. Off. E. L. D. unc. $\frac{1}{2}$.—1

d. Comp. L. D. dr. 3.—6.

e. Ammoniat. dr. $\frac{1}{2}$ —1.

f. Extract Cinchon. Off. E. }
Cort. Peruv. L. D. } gr. 10.—20

Ad Febres. Rheumatism. Odontalg. Catarrh.
Febril. Blenorh. Dysenter. Erysipelat.
Scarlatin. Hæmoptys. Menorrhag. Dys-
peps. Hypochond. Astheniam. Spasmos.
Hydrop.

164. CINCHONA Caribbea.

Insul. Caribb. *Cort.* (ut Cinchon Off.)

165. COLUMBA. L. E. D.

Ceylon. Africa. *Rad.* Pulv. gr. 5.—20. Inf.
dr. 3. ad lib. 1.

Tinct. Columbæ. L. D. E.

166. CROTON Eleutheria. E.

Cascarilla. L. D.

Ind. Or. et Occident. *Cort.* Pulv. scr. 1.—dr. 1.

a. *Tinct.* Cascarill. L. D. dr. 2.—6.

b. *Extract.* Cascarill. L. D. gr. 10.—20.

167. GENTIANA lutea. E.

Gentiana. L. D.

Eur. Merid. *Rad.*

a. Inf. Gentian. Comp. E. unc. $\frac{1}{2}$.—1.

D. dr. 6.—12.

L. unc. 2.—4.

b. *Tinct.* Gentian. Comp. E. L. dr. 2.—6.

c. Vin. Gent. Comp. E. unc. 1.—2.

d. *Extract.* Gent. L. D. *lut.* E. gr. 10.—30.

168. MENYANTHES Trifoliata. E.

Trifol. Patudos. L.

Brit. *Rad.* *Exsicc.* Inf. unc. $\frac{1}{2}$.—lib. 1.

169. QUASSIA Excelsa. E.

Quassia. L.Insul. Caribb. *Lignum*. *Cort*. *Rad*. Inf.
dr. $\frac{1}{2}$.—2. ad lib. 1.

170. Qu. Simaruba. E.

Simarouba. L. D.Ind. Occ. *Cortex*. Decoct. dr. 2. ad lib. 1.

171. SALIX fragilis.

Salix. D.Brit. *Cortex*. Pulv. scr. 2.—4.

Decoct. unc. 2. ad lib.

172. SWIETENIA Mahagani. E.

Ind. Occ. *Cortex*. Pulv. Decoct. ut Cinchona.

173. Sw. Febrifuga. E.

Ind. Occ. *Cort*. ut supra.

174. TANACETUM vulgare.

Tanacetum. L. D.Brit. *Fol*. *Flor*. Infus.

Ad Vermes.

2. Fossilia.

10. SULPHAS CUPRI. gr. 1:—3. bis terve in die.
Febr. Intermitt.

c. Ammoniaretum Cupri. E.	} gr. $\frac{1}{2}$.
<i>Cuprum Ammoniatum</i> . L.	

bis terve in die.

d. Pilulae Ammoniar. Cupri. E. Pil. 1.
Epileps.

2. ZINCUM.

- a. Sulphas. Zinci. gr. 2.—5. bis terve in die.
Febr. Intermitt. Epileps.
- b. Solutio Sulphat. Zinc. E
Externe pro Collyrio.
- c. Oxidum Zinci. E.
Zincum calcinatum. L. } gr. 1. bis terve
Calx Zinci. D. } in die.
Epileps.

1. NITRAS PATASSAE.

Acidum Nitrosum. gtt. 30.—40.

0. SULPHAS MAGNESIAE. Solut. dr. 2. bis in die.

00. FERRUM.

- a. Carbonas Ferri scr. 1.—dr. 1.
 - b. Praecip. gr. 5.—15.
 - c. Aq. Ferri aerati. D. lib. $\frac{1}{2}$. bis in die.
 - d. Sulphas Ferri. gr. 1.—5.
 - e. Vinum Ferri. dr. 2.—6. bis in die.
 - f. Tinct. Muriat. Ferri. gt. 10.—30. bis in die.
 - g. Sulphas Ferri exsicc. E.
 - h. Oxidum Ferri rubrum. E.
 - i. Emplast. Occid. Ferri rub. E.
 - k. Ferri limatura purific. E.
 - l. Oxidum Ferri nigr. purific. E.
 - m. Murias Ammon. et Ferri. E. } gr.
Ferrum Ammoniacale. L. } 3.—10.
 - n. Tinct. Ferr. Ammoniac. L. gtt. 10.—30.
 - o. Tartris Ferri et Potassae. E. } gr.
Ferrum Tartarisatum. L. } 10.—30.
 - p. Tinct. Ferri acetati. D. gtt. 20.—40.
- Dyspeps. Hypochondrias. Asthen. Chorcem.
Hydrop. Chloros. Phthis. Vermes.

144. ACIDUM SULPHURICUM.

a. Acidum Sulphur. dilutum. gtt. 20.—40

b. Acidum Sulphuric. Aromaticum. E.

gtt. 10.—20. bis terve in die.

Dyspeps, &c.

175. ARGENTUM. L. E. D.

a. Nitras Argenti. E.

Argentum Nitratum. L. D. } gr. $\frac{1}{8}$.— $\frac{1}{4}$

bis in die.

176. ARSENICUM. Oxid. alb. vel Acid. Arseni.

Oxidum Arsenici. E.

Solut.

177 CARBONAS BARYTAE. E.

Vid. *Sulphas Barytae*.

178. CARBONAS CALCIS. E.

Creta. L. D.

Brit. &c.

Solutio Muriatis Calcis. E. gt. 30.—60. bis terve in die.

Ad Scrofulam, Schirrum, &c.

179. SULPHAS BARYTAE.

Terra ponderosa.

Brit.

a. Murias Barytae. E.

b. Solutio Muriatis Barytae. E. gt. 5.—10
bis terve in die.

Ad Scrofulam, Schirrum, &c.

Formulae.

92. *R. Pulv. Flor. Anthemid. nobil. fer. 1.*
Cort. Laur. Cinnamom. gr. 5. M.
f. Pulv.
Signr. To be taken twice a day in a glass of
brandy and water.
Dyspeps.
93. *R. Pulv. Cort. Aescul. Hippocast. dr. $\frac{1}{2}$.*
Amom. Zingib. gr. 5. M. f. Pulv.
Signr. To be taken three times a day.
94. *R. Pulv. Cinchon. Offic. scr. 2.*
Crot. Eleuther. gr. 10. M. f. Pulv.
Signr. One to be taken every two, three, or
four hours in milk.
95. *R. Extract. Cinchon. dr. 1.*
Carbonat. Ferri praecip. dr. $\frac{1}{2}$.
Ol. Myrist. Moschat. gtt. 6.
Syrup. Citr. Aurant. q. s. f. Mass. in Pil. 24
dividend.
Signr. Three or four to be taken twice a day.
Dyspeps, &c.
96. *R. Pulv. Cinchon. offic. flav. unc. 1.*
Aq. Laur. Cinnamom. lib. 1.
Tere simul per horam; dein cola et adde
Tinctur. Cinchon. compos. unc. 1. M.
Signr. A glass full to be taken every two, three
or four hours.

97. *R. Pulv. Cinchon. offic. flav. unc. 2.*

Gall. dr. 2.

Fruct. Caryophyll. aromat. dr. $\frac{1}{2}$.

*Infunde in Vin. rubr. Lusitan. lib. 1. per hora
48, et postea in Aq. Destillat. lib. 1. per
horam et cola.*

R. Infus. suprapraescript. unc. 8. f. Mist.

*Signr. A glass of it to be taken three or four
times a day.*

98. *R. Pulv. Cinchon. flav. dr. 2.*

*Decoct. Carn. Bubul (Beef-tea) unc. 6. M.
Enema.*

To be repeated three or four times a day.

*In cases where the stomach will not bear the
Bark.*

99. *R. Inf. Quass. amar. (dr. 1. ad. lib. 1.) unc. 7.*

Tinct Cinchon. comp. unc. 1. M. f. Julep.

*Signr. Three table spoonsfull to be taken three
times a day.*

Dyspeps, &c.

100. *R. Pulv. Cort. Salic. frag. scr. 2.*

Cinchon. flav. scr. 1. M. f. Pulv.

*Signr. To be taken every three or four hours
while the fever is off.*

Ad Febr. Intermitt.

101. *R. Pulv. Cort. Swieten. febrif. scr. 2.*

Laur. Cinnamom. gr. 5. M.

Pulv.

102. *R. Ammoniaret. Cupri gr. 10.*
Oxidi Zinci. scr. 1.
Extract. Gentian. lut. q. s. f. Mass in Pil 20.
dividend.
Signr. *One to be taken twice a day.*
Epileps.
103. *R. Sulphat. Zinci gr. 12.*
Pulv. Cort. Angustur. dr. 2. M. et divide in
Pulv. 6.
Signr. *One to be taken three or four times a day.*
Ad Febr. Intermitt.
104. *R. Pulv. Rad. Columb. gr. 10—scr. 1.*
Carbonat. Ferri. praec. (Ph. E) gr. 3.
Pulv. Cort. Laur. Cinnam. gr. 5. M. f. Pulv.
To be taken twice or three times a day.
105. *Pulv. Myrrh. dr. 1.*
Carbonat. Ferri praecip. scr. 1.—dr. $\frac{1}{2}$.
Extr. Gentian. luteae. q. s.
Ol. nuc. Myrist. moschat. gt 6. M. f. Massa in
Pil. 24. dividenda.
Signr. *Three or four to be taken three times a day, drinking a cup of cold Chamomile tea after every dose.*
106. *R. Pulv. Myrrh. dr. 1.*
Carbonat. Ferri. praecip. dr. $\frac{1}{2}$.
Syrup. Citri Aurant. unc. $\frac{1}{2}$. simul tere et adde
Aquaе Menth. piper. unc. 6.
Tinctur. Cinchon. compos. unc. 1. M.

Signr. *Three spoonsful to be taken twice or thrice a day* *.

107. R. Pulv. Cinchon. offic. unc. 1.

Carbonat. Ferri. unc. $\frac{1}{2}$.

Cons. Cort. Citr. Aur. unc. $\frac{1}{2}$.

Syr. Amom. Zingib. q. s. f. Elect.

Signr. *The bigness of a nutmeg to be taken four, five, or six times a day.*

108. R. Tinct. Muriat. Ferri. dr. 2.

Colomb. unc. $\frac{1}{2}$. M.

Signr. *A tea spoonfull to be taken three times a day, in a cup of Chamomile tea.*

CLASS XIII. STIMULANTIA.

1. *Animalia.*

1. MURIAS Ammoniae.

a. Aqua Ammoniae. E. gt. 10.—20.
pur. L.

Liquor. alkal. volat. caust. D.

b. Alcohol Ammoniatum. E. gt. 20.—40.

Spiritus Ammoniae. L.

Alkal. volat. D.

c. Carbonas Ammoniae, E. gr. 5.—10.

Ammonia praeparata. L.

Alkali volatile mite. D.

d. Aqua Carbonat. Ammon. E. gt. 20.—dr. 1.

Ammoniae. L.

* This and the last are intended to answer the purpose of Griffith's celebrated Chalybeate, and it is presumed that they are somewhat more scientific.

Liq. alkal. volatil. mit. D.

e. *Liq. volat. Cornu Cervi, L. gt. 20.—dr. 1.*

f. *Sal Cornu Cervi, L. gr. 10—20.*

g. *Oleum Ammoniatum, E.*

Liniment. Ammon. fort. L.

h. *Liniment. Ammon. L.*

i. *Liniment. volatile. D.*

k. *Alcohol. Ammoniat. aromaticum. E.*
gt. 20.—dr. 1.

Spir. Ammon. comp. L.

Alcoh. volat. arom. D.

l. *Spir. Ammon. succin. L.*

Asphyx. Spasmos. Rheumatism. &c.

39. MOSCHUS moschiferus.

Bol. Mist. gr. 10.—scr. 1.

Mistura Moschata. unc. 1—2.

Ad Typhum. Gangraen.

40. LYTTEA vesicatoria.

Bol. gr. 1.—3.

a. *Tinct. Meloes vesicat. gt. 10.—30.*

b. *Ungt. Infus. mel. vesicat. E.*

Cantharid. L. D.

c. *Pulv. mel. vesicat. E.*

d. *Ceratum. Cantharid. L.*

e. *Empl. melo. vesicat. E.*

Cantharidis. L. D.

f. *mel. vesicat. com. E.*

*Ad Synoch. Typh. Phrenit. Cynanch.
Pneumon. Gastrit. Enterit. Rheuma-
tism. Odontalg. Variol. Scarlatin. Apo-
plex. Paralys. Chorcem. Asthm. Dys.*

pnoeam. Pertuss. Colicam. Hysteri-
am. Hydrophob. Maniam. Icterus.
Caligin. Amauros. Ischuriam.

2. *Vegetabilia.*

9. SINAPIS alba.

Semen et ejusd. Pulvis. dr. 1.—4.

Cataplasma Sinapeos. L. D.

Rheumatism. Paralys.

13. ALLIUM sativum.

Rad. recens.

15. ARUM maculatum.

Rad. recens. Bol. Elect. Emuls. gr. 10.—20.
bis in die.

Conserva Ari. L. dr. $\frac{1}{2}$.—dr. 1.

Rheumatism.

21. PIMPINELLA Anisum.

Semen.

Ol. volat. Pimpin. Anisi. gtt. 2.—6.

Dyspeps. &c.

23. STYRAX Benzoin.

Balsamum.

a. Acidum Benzoicum. gr. 1.—3.

b. Tinctura. Benzoës comp. L. gtt. 10.—20.

24. ALCOHOL.

a. Aether Sulphuricus. dr. $\frac{1}{2}$.—dr. 1.

Ad Morb. spasmod.

b. Aether Sulphuric. cum Alcohole. E.

-
- | | | |
|--|---|-------------|
| <i>Spiritus Aetheris vitriolici.</i> | } | gtt. 15—30. |
| L. | | |
| <i>Liquor aethereus. vitriolicus.</i> D. | } | |
| | | |
| c. Aether Sulphur. cum Alcohol. comp. E. | } | gtt. 15.—30 |
| <i>Spir. aether. vitriol. comp.</i> | | |
| L. | | |
| d. Oleum Vini. L. | | gtt. 10—20. |

26. ACIDUM ACETOSUM.

- c. Acidum Acetosum forte. E.
Externe per nares in Syncope, Asphyxia,
&c.
- d. Acidum Acetosum Camphoratum. E.
Ut supra.
- e. Acetum Aromaticum. E.
Ut supra.

29. ARISTOLOCHIA Serpentaria.

- Rad.* Pulv. Bol. scr. 1—2.
Tinctura Aristol. Serpentar. dr. 2.—6.
Typh. Dyspeps.

30. DAPHNE Mezereum.

- Rad.*
Decoctum Daphn. Mezerei. unc. 1.—2 saep. in
die.
Ad morbos cutan. Syphil.

31. GUAIAACUM officinale.

- Lign.* Decoct. unc. 1. ad lib. 1. Resin. Pulv.
Emuls. gr. 10.—20.
Rheumatism. Syphil. Morb. cutan.
a. Decoctum Guaiac. officin. unc. 4.—8.
bis in die.

- b. Tinctura Guaiac. offic. dr. 2.—4.
 c. ammoniat. dr. 1.—3.

43. PAPAVER somniferum.

Opium. gr. $\frac{1}{4}$.—1. dos. repetit.

- a. Tinctura Opii gtt. 5.—20. simili modo.
 b. Camphorat. dr. 1.—4.
 c. Ammoniat. dr. $\frac{1}{2}$.—1.
 Typh. Dyspeps, Tetan. &c.

50. COCHLEARIA Armoracia.

Rad. rec. Subst. Infus.

Spirit Raphani comp. L. unc. 1.—2.

Paralys. &c.

51. COPAIFERA officinalis.

Balsam. gtt. 15.—30.

57. PINUS } Sylvestris.

58. PINUS } Larix.

a. Ol. vol. Pini puriss.

b. Ungt. Resin. flav. L. D.

Resinosum. E.

c. Cerat. Resin. flav. L.

d. Empl. Cerae. D. comp. L.

e. Ungt. Picis. L. D.

f. Empl. Picis. Burgund.

Externe ad Ulcera. &c.

92. ARNICA montana.

Rad. Pulv. scr. 1.—2.

Typh. Paralys.

93. BUBON Galbanum.

a. Pilul. Galbani comp. gr. 15.—20.

b. Emplastrum Galbani comp. E.
Lithargyri compos. L.

94. JUNIPERUS Sabina.

Oleum Juniper. Sabinae, gt. 1.—4.

95. PASTINACA Opoponax.

Pil. gr. 2.—5.

105. VERATRUM album.

a. Unguentum Hellebori albi. L.

b. Decoct. Hellebori albi, L.

Ad morb. cutan. L.

106. AMOMUM Zingiber.

Rad. Pulv. gr. 5.—20.

Podagr. retroced. vel atonic. Paralys. Dyspeps,
 &c.

a. Syrupus Amom. Zingib.

b. Tinctura Amom. Zingib. E. dr. 2.—4.

180. ACORUS Calamus. E.

Calamus aromaticus. L.

Brit. Rad. Pulv.

181. AMOMUM repens. E.

Cardamomum minus. L. D.

India. Semen.

a. Tinctura Amomi repent. E. } dr. 2.—4.
Cardamomi. L. D. }

b. compos. L. dr. 2.—4.

182. AMYRIS Gilcadensis.

Asia. Resina.

183. AMYRIS Elemifera.
Elemi. L. D.
Amer. mer. *Resina*.
Unguentum Elemi. L.
184. ANETHUM Foeniculum. E.
Foeniculum. L. D.
Brit. *Sem*. Decoct. Enem.
a. Oleum volatil. Foenicul. dulc. D.
b. Aqua Foeniculi dulcis. L. unc. 1.—3.
185. ANETHUM graveolens.
Eur. mer. *Semen*.
Aqua Anethi. L.
186. ANGELICA Archangelica. E.
Angelica. L. D.
Cult. *Rad. Semen*.
187. APIUM Petroselinum. E.
Petroselinum. L.
Cult. *Rad. Semen*.
188. ARBUTUS Uva Ursi. E.
Uva Ursi. L. D.
Eur. merid. *Folia*. Pulv. scr. 1.—dr. 1. Infus.
Ad Calculum.
189. ARTEMISIA maritima.
Absinthium maritimum. L.
Brit. *Cacumen*.
a. Conserva Absinthii maritimi. L.
b. Decoctum pro Fomento. L.
190. CANELLA alba. E. L. D.
India Occid. *Cortex*. Pulv.

91. CAPSICUM annuum.
Piper Indicum. L. D.
 Ind. Occ. *Capsulae*. Pulv. gr. 2.—6. Infus.
 Ad Febres. Scarlatinam anginosam.
92. CARUM Carvi. E.
Carum. L.
Carvi. D.
 Cult. *Semen*. Decoct.
 a. Oleum Carvi. L. gtt. 1.—4.
 b. Spiritus Cari Carvi. E. }
 Carvi. L. D. } unc. $\frac{1}{2}$.—2.
 Dyspeps. Colic.
93. CISTUS Creticus.
Ladanum. L.
 Syria. *Resina*.
 a. Emplastrum Ladani compos. L.
94. CITRUS Aurantium.
Aurantium Hispalense. L. D.
 Eur. merid. *Flores*. *Cortex*. *Fruct*. Infus.
 a. Oleum volat. Citri Aurant. E. gtt. 2.—6.
 b. Aqua Citri Aurantii. E. unc. 1.—3.
 c. Tinctura Aurantii Cort. L. D. unc. $\frac{1}{2}$.—1 $\frac{1}{2}$.
 d. Syrupus Citri Aurantii. E.
 Cort. Aurantii. L. D.
 e. Conserva Citri Aurantii. E.
 Cort. Aurantii. L. D.
95. CORIANDRUM sativum. E.
Coriandrum. L. D.
 Eur. merid. *Semen*. Pulv. Infus.
96. CROCUS sativus. E.
Crocus. L. D.

Cult. *Stigmata*. Infus.

a. Syrupus Croci. L.

b. Tinctura Croci. E. L. dr. 2.—4.

197. CUMINUM Cyminum.

Cuminum. L.

Aegypt. Sicil. *Semen*. Decoct.

a. Cataplasma Cumini. L.

b. Emplastrum Cumini. L.

198. CURCUMA longa.

Curcuma. L.

India. *Radix*. Pulv.

199. DAUCUS Carota. E.

Daucus Sylvestris. L.

Brit. *Semen*. *Radix*. Cataplasma.

200. DIANTHUS Caryophyllus. E.

Caryophyllum rubrum. L. D.

Italia. *Pctala*. Infus.

Syrupus Caryophylli rubri. L.

201. EUGENIA caryophyllata. E.

Caryophyllum aromaticum. L. D.

Insul. Mollucc. *Floris germen*.

Oleum volat. Caryophylli aromatici. gtt. 1.—2.

Odontalg. Colic.

202. HYPERICUM perforatum.

Hypericum. L.

Brit. *Flos*.

203. INULA Helenium.

Enula campana. L. D.

Brit. *Radix*.

204. JUNIPERUS Lycia. E.

Olibanum. L. D.Asia. *Gum-resin*. Pilul.

205. KAEMPFERIA rotunda. E.

Zedoaria. L.India. *Rad.* Pulv.

206. LAVANDULA Spica. E.

Lavendula. L.*Lavandula*. D.Cult. *Flores*.a. *Oleum volat. Lavandulae Spicae*. E.*Lavendulae*. L.b. *Spiritus Lavandulae Spicae*. E.*Lavendulae*. L.c. *Spiritus Lavandulae comp.* E.*Tinctura Lavendulae comp.* } dr. $\frac{1}{2}$.—1.
L.

207. LAURUS Cinnamomum. E.

Cinnamomum. L. D.Ceylon. *Cortex*. Pulv. gr. 5.—15. Infus.a. *Ol. volat. Laur. Cinnamom. L.* }
essent. Cinnamom. D. } gt. 1.—2.b. *Aqua Laur. Cinnam. E. unc.* 1.—3.*Cinnamom. L. D.*c. *Spir. Laur. Cinnamom. E. unc.* $\frac{1}{2}$.—1 $\frac{1}{2}$.*Cinnamom. L. D.*d. *Tinct. Laur. Cinnamom. E. dr.* 2.—4.*Cinnamom. L. D.*e. *Cinnamom. comp. E. dr.* 1.—2.*Cinnam. comp. L. D.*f. *Pulv. Aromaticus. L. E. D. gr.* 10.—20.

g. Electuar. Aromat. E. D. gr. 10.—30.
Confect. Aromat. L.

208. LAURUS Cassia. E.

Cassia lignea. D.

India. *Cortex. Pulv. &c. Flor. nondum. explicit*

Aqua Lauri Cassiae. E. unc. 2.—4.

209. LAURUS nobilis. E.

Laurus. L. D.

Cult. *Folia. Bacc. et Oleum Bacc. Externe.*

210. LOBELIA syphilitica. E.

Virgin. *Rad. Pulv.*

Ad Syphilidem.

211. MELALEUCA Leucodendron. E.

Cajeputa.

Insul. Molucc. *Ol. essential. gtt. 1.—4. et Externe*

Rheumatism.

212. MENTHA viridis. E.

Mentha sativa. L. D.

Cult. *Herba. Infus.*

a. *Oleum Menthae sativae. L. gtt. 2.—6.*

b. *Aqua Menthae sativae. L. D. unc. 2.—6.*

c. *Spiritus Menthae sativae. L. unc. 1.—2.*

Colic.

213. MENTHA Piperita. E.

M. Piperitis. L. D.

Cult. *Herba. Inf.*

a. *Aq. Menthae piperitae. E. unc. 1.—4.*

piperitidis. L. D.

- b. Ol. volat. *Menthae piper.* E. gt. 1.—3.
essent. M. piperitid. L. D.
 c. Spir. *Menthae piperit.* E.dr. 2.—6.
piperitid. L. D.

214. MENTHA Pulegium. E.

Pulegium. L. D.

Cult. *Herba.* Infus.

- a. Aq. Menth. *Pulegii.* E. unc. 2.—4.
Pulegii. L. D.
 b. Ol. volat. Menth. *Puleg.* E. gt. 1.—3.
essent. Pulegii. L. D.
 c. Spirit. *Pulegii.* L. unc. 1.—2.

215. MYRISTICA Moschata. E.

Myristica. L.

Nux mosehata. D.

Insul. Molucc. *Nucleus.* Pulv. Ol. volatil. et
express. gtt. 1.—3.

Spiritus *Myristic. Moschat.* E. } dr. 2.—6.
Nueismosehatae. L. D.

216. MYROXYLON Peruiferum. E.

Balsamum Peruvianum. L. D.

Amer. merid. *Balsam.* gtt. 10.—30.

Tinctura *Balsami Peruviani.* dr. 1.—2.

217. MYRTUS Pimenta. E.

Pimento. L. D.

Jamaica. *Bacca.*

- a. Aq. Myrti *Piment.* E. unc. 2.—6.
Piment. L.
 b. Ol. volat. Myrt. *Pim.* E. gt. 1.—3.
 c. Spir. Myrt. *Piment.* E. unc. 1.—2.
Pimento. L. D.

-
218. ORIGANUM vulgare. E.
Origanum. L. D.
Brit. *Herba*.
Oleum Origani. L.
Ad Odontalg.
219. PANAX quinquefolium.
Ginseng. L.
China. *Radix*. Pulv.
220. PARIETARIA officinalis.
Parietaria. L.
Brit. *Herba*.
221. PINUS balsamea. E.
Balsamum Canadense.
Americ. septent. *Resina liquida*.
222. PIPER nigrum. E. L. D.
India. *Fruct*.
223. PIPER Cubeba.
Cubeba. L.
Java. *Fruct*.
224. PIP. longum. E. L. D.
Fruct.
225. PISTACIA Terebinthus.
Terebinthina Chio. L.
Insul. Chio. et Cyprus.
226. RHUS Toxicodendron. E.
Amer. *Folia*. Pulv. gr. $\frac{1}{2}$.—bis terve in die
In Paralysin.

27. STYRAX officinale. E.

Styrax. L. D.Eur. merid. *Balsam*.*Styrax purificata*. L. D.

28. TOLUIFERA Balsamum. E.

Balsamum Tolutanum. L. D.Amer. merid. *Balsam*. Troch.a. *Tinctura Toluiferae Balsam*. E.b. *Syrupus Toluiferae Balsam*. E.*Tolutan*. L.

29. TRIGONELLA Foenum graecum.

Foenum graecum. L.Gallia. *Semen*. Catapl. Fetus.

30. URTICA dioica.

Urtica. L.Brit. *Herb. rec.* Externe. *Pulv.* scr. 1.—dr. 1.

Paralys. Febr. Intermitt.

31. WINTERA aromatica. E.

Amer. merid. *Cortex*. *Pulv.*3. *Fossilia*.

5. HYDRARGYRUM.

Vid. *Sialagoga*.

n. Ungt. Oxid. Hydr. rubr. E.

o. Nitrat. Hydrarg. E.

Hydrarg. nitrat. L.

p. Un. nitrat. Hydrarg. mitius. E.

. NITRAS POTASSAE.

c. Acidum nitrosum. dr. 1.—in die.

d. Unguentum Acidi nitrosi. E.
Ad morb. cutan.

72. SAPO Hispanus.

- a.* Tinctura Saponis. E.
Linimentum Saponis compos. L.
Saponaceum. D.
Rheumatism, &c.
b. Tinctura Saponis cum Opio. E.
c. Ceratum Saponis. L. D.
d. Emplastrum Saponis. L.
Saponaceum. E. D.

89. MURIAS SODAE.

- a.* Murias Sodae exsiccatus. E.
Externe in Asphyx.

144. ACIDUM SULPHURICUM.

Externe in Ungt. ad morb. cutan. et interne.

176. OXIDUM ARSENICI.

Externe in Carcinom.

232. BITUMEN Petroleum. E.

Petroleum. L.
India.
Oleum Petrolei.

233. SUB-BORAS Sodae.

Boras Sodae. E.
Borax. L. D.
India. *Pulv.* Linctus.
Ad Aphthas.

234. SUB-ACETIS CUPRI. E.

Aerugo. L. D.

Collyr. Ungt.

a. Oxymel Aeruginis. L.

b. Unguentum Sub.acetit. Cupri. E.

235. CALX. E.

Calx viva. L. D.

Linimentum Aquae Calcis. E.

Ad Tineam Capitis.

Formulae.

109. R. Mist. Camphor. unc. 7.

Syr. Cort. Citr. Aurant.

Spt. Laur. Cinnam. aa unc. $\frac{1}{2}$.

Aq. carbonat Ammon. dr. 2. M.

Signr. *Two or three table spoonsfull to be taken occasionally.*

110. R. Carbonat. Ammon. scr. 1.

Pulv. Meloes. vesicator. gr. 1.

Electuar. Opiat. q. s. f. Bolus.

Signr. *One to be taken every five or six hours, drinking three large spoonsfull of the Julep after each*.*

In Paralyisin.

111. R. Unguent. Cerae. unc. 1.

Tinct. Meloes vesicator. dr. 2. ad. unc. $\frac{1}{2}$.

Unguento liquefacto et jam frigescenti immisce Tincturam.

* Here any simple Julep is intended.

Signr. The part affected to be rubbed several times a day with some of this ointment.

In Paralysis.

112. R. Balsam. Copaif. offic. unc. $\frac{1}{2}$.

Mucilag. Mim. nilot. unc. 1.

Syr. Toluif. Bals.

Spt. Laur. Cinnam. aa unc. $\frac{1}{2}$.

Aq. Destillat. unc. $5\frac{1}{2}$. M. f. Emuls.

Signr. Three table spoonsfull to be taken three times a day.

Ad Blenorrh.

113. R. Tinctur. Aristoloch. Serpentar.

Spirit. Laur. Cinnamom. aa unc. 1. M. sint
Guttae.

Signr. Two tea spoonsful to be taken twice a day, in a glass of cold water.

Dyspeps, &c.

114. R. Opii. purificat. gr. 2.—10.

Aquae ferventis unc. 2. solve et adde

Mucilag. Mimos. nilot. unc. 2. M. f.

Enema.

Ad Colic. Tetanum. Hyster. &c.

115. R. Solution. Acetit. Zinci.

Mistur. Camphorat. aa unc. 2.

Tinctur. Opii dr. 1. M. f. Collyr.

In Ophthalm. astenic.

116. R. Tinctur. Camphorae.

Ol. Terebinth. aa unc. 1. M. f. Embrocat.

Signr. The parts affected to be well rubbed three or four times a day, or (in cases of

burns) to be kept covered with a thin rag, moistened with some of it.

117. R. Pulv. Rad. Arnic. montan. dr. 2.

Cort. Laur. Cinnam. dr. 1. M. et
divide in Pulv. 6, vel. 8.

Signr. *One to be taken every three or four hours in a cup of Lintseed tea.*

In Typhum.

118. R. Pulv. Capsic. Indic. (*Cayenne Pepper* dict.) scr. 1. ad scr. 2.

Acid. Acetos. dilut. unc. 1.

Decoct. Cinchon. off. unc. 7. M. f. Gargarism.

Ad Scarlatin. anginos.

119. R. Caps. Papav. somnifer. contus. unc. $\frac{1}{2}$.

Flor. Anthem. nobil. unc. 1.

Coque paulisper in

Aq. Distillat. lib. $2\frac{1}{2}$. Cold.

R. Tinctur. Camphorac. unc. 4.

Signr. *The parts affected to be fomented for half an hour with half this fomentation, adding to it at the time of using, half the Camphorated Spirit.*

Ad Gangraenam.

20. R. Sulphat. Cupri. dr. 1. ad: $1\frac{1}{2}$.

Tinctur Camphorac. dr. 1.

Aq. Ros. centifol. unc. 8. M. f. Collyr.

Signr. *To be applied to the Eye three or four times a day.*

121. *R.* Oxid. Hydrarg. rub. per Acid. nitric. ppt. dr. 1.
Ungt. resinos. unc. 1. M. f. Ungt.

Signr. A little to be applied between the Eyelids every night and morning.

122. *R.* Hydrarg. calcinat. ppt. gr. 3.
Sacch. crystallisat. alb. dr. 1.
Simul optime tere et adde
Sulphur. praecipitat. dr. 1. M. et divide in
Pulv. 6.

Signr. One to be taken twice a day in a little syrup or honey, drinking after each a cup of Decoction of the Woods.

Ad morb. cutan.

123. *R.* Muriat. Hydrarg. gr. 5.
Spt. Sacchar. (*Rum.*) unc. 1. solve

Signr. The chancres to be touched with some of this Lotion night and morning, and afterwards covered with dry lint.

124. *R.* Nitrat. Argent. gr. 2.—3.
Pulv. Cort. Laur. Cinnam. gr. 24. simul
optime tere et adde
Extract Gentian. lut. q. s. f. Massa in Pil 12.
dividend.

Signr. One to be taken twice or thrice a day.
Epileps.:

125. *R.* Phosphori gr. 5.
Ol. Olivae. unc. 4. Solve calore Arenae fervent.

Signr. *The parts affected to be rubbed twice a day* *.

Paralys.

CLASS XIV. ANTISPASMODICA.

1. *Animalia.*

1. MURIAS AMMONIAE.

Vid. Stimulantia.

39. MOSCHUS moschiferus.

Pulv. Bol. scr. 1.—dr. $\frac{1}{2}$.

73. CERVUS Elaphus.

Ol. Animal. L.

Cornu Cervin. rectificat. D. } gtt. 15.—30.

91. CASTOR Fiber. Pulv.

a. Tinctur. Castor. gtt. 30.—dr. 1.

b. compos. gtt. 20.—40.

Ad Hysteriam, &c.

2. *Vegetabilia.*

5. CEPHAELIS Ipecacuanha.

Pulv. gr. 3.—6.

6. NICOTIANA Tabacum.

Fum.

Colic.

* Although neither of the Colleges have yet admitted *Phosphorus* into the catalogue of the Materia Medica, we have ventured to give the above Formula, as we think we have employed it with considerable benefit.

17. FERULA Asa foetida.

Pilul. gr. 10.—scr. 1.

b. Alcohol Ammoniat. foetid. }
 E. }

Spiritus Ammoniae foetid. L. } gtt. 15—30.

Spt. Alkali volatil. foetid. D. }

c. Pilulae Asae foetid. comp. E.

d. Emplastr. Asae foetid. E.

Hysteria, &c.

24. ALCOHOL.

Aether Sulphuricus. dr. $\frac{1}{2}$.—2.

42. LAURUS Camphora.

a. Emulsio Camphorata, unc. 2.—3.

b. Mistura Camphorata, unc. 2.—3.

c. Tinctura Camphorae, E.

Spirit. Camphoratus. L. D. Externe.

d. Liniment. Camphor. com. L.

Camphorat. D.

43. PAPAVER somniferum.

*Opium. Pil. Mist. gr. 1.—**Liniment. Enem.*

a. Tinct. Opii.

b. camphorat. L. dr. 1.—4.

c. ammoniata. E. dr. 1.

h. Elect. Opiatum. gr. 5.

i. Pilul. Opii. L.

Opiatae. gr. 10.

93. BUBON Galbanum.

Pilul.

a. Tinctura Galbani. L. dr. 1.—2.

b. Pilul. Galbani comp. L. gr. 15.—40.
Hysteria.

130. VITIS vinifera.

Vinum rubrum Lusitanum. lb. 1.—in die.
Ad Tetanum.

194. CITRUS Aurantium.

Fol. Pulv. dr. $\frac{1}{2}$.
Convuls.

236. ARTEMISIA Absinthium.

Absinthium vulgare. L.
Brit. *Cacumen*. Oleum. volat.

237. CARBONAS POTASSAE impurus. E.

Cineres clavellati. L. D.

a. Aqua Potassae. E.

Kali puri. L.

Lixivium alkali vegetab. caust. D.
Externe in Balneo ad Tetanum.

238. CARDAMINE pratensis. E.

Cardamine. L.

Brit. *Flores*. Pulv. dr. $\frac{1}{2}$. bis in die.

Ad Choream, &c.

239. CONIUM maculatum. E.

Cicuta. L. D.

Brit. *Folia*. Pulv. gr. 1.

a. Succus spissat. Conii maculat. E.

Extract. Cicutac. L. D.

240. FULIGO LIGNI COMBUSTI. D.

Hyster.

241. HYOSCYAMUS niger. E.*Hyoscyamus*. D.Brit. *Folia*. Semen.

- a. Succus spissat. Hyoscyam. nigri. E.
gr. 2.—4.

242. VALERIANA officinalis. E.

Valeriana. L. D.Brit. *Radix*. Pulv. scr. 1.—dr. 1.—bis terve in die.

- a. Tinctura Valerianae. L. dr. 2.—4.
b. Ammoniat. E. dr. 1.
c. Extract. Valerian. sylvestr. resinos. D.
Ad Hysteriam, &c.

3. Fossilia.

45. HYDRARGYRUM.

Vid. Sialagoga.

232. BITUMEN Petroleum. E.

Petroleum. L. D.

Italia.

- a. Oleum Petrolei. L.

243. SUCCINUM. L. E. D.

- a. Oleum Succini. E.

- b. purissimum. E. } gtt. 10.
rectificat. L. D. } —20.

- c. Sal Succini. D.

- d. Spiritus Ammoniae. succinat. L. gtt. 30.

Formulae.

126. R. Aqu. Menth. piper. unc. 1.
Syrup. Amom. Zingib. dr. 2.
Spirit. Lavandul. comp.
Aq. Ammoniac. aa dr. $\frac{1}{2}$. M. f. Haust.
Signr. *To be taken just as a fit is coming on.*
Epileps. Hyster.
127. R. Mosch. Chinens. gr. 10.
Sacch. purificat. scr. 1. Simul tere et adde
Carbonat. Ammon. sicc. gr. 10.
Syr. q. s. f. Bolus.
Signr. *One to be taken every three hours.*
128. R. Fol. Nicotian. Tabac. dr. 2.
Aq. Destillat fervent. lib. 1. Infunde per sextam partem horae, et cola pro Enemate.
Ad Colicam.
129. R. Succ. spiss. Ferul. Asae foetid. dr. 1.
Aq. Menth. Pulegii unc. 7.
Syr. Toluif. Bals.
Aether. sulphur. cum Alcohol. aa unc. $\frac{1}{2}$. M.
Signr. *Two or three spoonsfull to be taken every three hours.*
Ad Hysteriam.
130. R. Tinct. Opii. gtt. 30. ad. 50.
Spt. Laur. Cinnam. dr. 3.
Syr. simpl. dr. 2.
Aq. Destillat. unc. 1.
Aether. Sulphur. dr. $\frac{1}{2}$. M. f. Haust.

To be taken directly, and repeated occasionally.

Epileps. Hyster.

131. R. Camphor. dr. 2.

Ol. Olivae. unc. 1. solve et adde

Tinct. Opii. unc. 1. M. f. Liniment.

Signr. *The whole or half to be rubbed into the part affected in the course of the day.*

Ad Tetanum, Hydrophob*.

132. R. Pulv. Fol. Citr. Aurant. dr. $\frac{1}{2}$.

Sacchar. alb. scr. 1. tere simul in Pulv.

To be taken twice or thrice a day.

Ad Convulsion.

133. R. Pulv. Rad. Valerian. sylv. scr. 1.

Ol. Nuc. Myrist. mosch. gt. 2. M. f. Pulv.

Signr. *To be taken three or four times a day.*

134. R. Pulv. Cinchon. off. unc. 1.

Rad. Valer. officin. dr. 2.

Syr. Cort. Citr. Aurant. q. s. f. Elect.

Signr. *The bigness of a nutmeg to be taken night and morning.*

135. R. Opii purificat.

Submuriat. Hydrargyr. aa gr. 10.

Electuar. Aromat. q. s. f. Mass in Pil 10. dividend.

Signr. *One to be taken directly, and repeated every two hours till relief is procured.*

Ad Colicam. Ictericum. Nephralg.

* This Liniment used in smaller quantity, will serve for all the cases in which Opiate Friction is useful.

CLASS. XV. NARCOTICA.

2. NICOTIANA Tabacum.

Vinum Nicot. Tabaci. E. gt. 30.—dr. 1.
bis in die.

3. ACONITUM neomontanum.

Succus spissat. Aconit. napell. gr. $\frac{1}{2}$.—2.

3. PAPAVER somniferum.

a. Tinct. Opii. gt. 25.

b. Camphorat. dr. 2.—6.

c. Syrup. Opii. D.

f. Extr. Papaver. somnifer. E.

g. Pulv. Opiat. L. E. gr. 10.

h. Elect. Opiatum. E. gr. 43.

(*onfect Opiata*. L. gr. 36.

i. Pil. Opii. E. gr. 5.

Opiatae. E. gr. 10.

Ad Febr. intermittent. Typh. Rheumatism. Odontalg. Catarrh. Dysenter. Ophthalm. Enterit. Scarlatin. Variol. Rubeol. Haemoptys. Menorrhag. Haemorrh. Tetan. Choream. Epileps. Pertuss. Asthmat. Hydrophob. Angin. pectoris. Hysteriam. Phthis. Icter. Diabet.

4. RHODODENDRON Chrysanthum.

Folia. Vid. Diaphoretica.

5. DIGITALIS purpurea.

Pulv. gr. 1.

Tinctura Digital. purpur. gtt. 10.—

Ad Synocham. Phrenit. *idiopath* et *Hydrocephalic*. Pneumon. Phthisin, &c.

92. ARNICA montana.

Flores. Pulv. gr. 5.

Paralys. Convuls. Amauros.

226. RHUS Toxicodendron.

Folia. Vid. Stimulantia.

239. CONIUM maculatum.

Pil. Pulv. gr. 1.

Succus pissat. Conii maculat. gr. 2.

241. HYOSCYAMUS niger.

a. Succus pissat. Hyoscyam. nigr. gr. 2.-4.

b. Tinctura Hyoscyami nigr. E. dr. 1.

244. ATROPA Belladonna. L. D.

Belladonna. L. D.

Brit. *Fol.* Pulv. gr. 1.

245. DATURA Stramonium. E.

Brit. *Fol.* Pulv. gr. 1.

246. HUMULUS Lupulus*.

Cult. Conus. Pulv. *Pil.* gr. 3.

* We have inserted the Hop among the articles of the *Materia Medica*, as it probably would have been received by the Edinburgh College, had their *Pharmacopeia* been published some months later. Within the last year it has been frequently employed in the Edinburgh Infirmary as a substitute for Opium with great success, as it was found to produce sleep in cases where Opium was inefficacious or inadmissible. It is usually administered in the form of a saturated tincture.—Vid. DE ROCHES *Dissert. Inaug. de Humulo Lupulo*. Edinr. 1803.

Dr SPENS has adopted it in his edition of the Infirmary *Pharmacopeia*, and has given a Formula of it under the title of *Pilulae Humuli lupuli*.

47. LACTUCA virosa. E.

Brit. *Folia*. Succ. spissat. gr. 1.

Ad Hydrop.

48. PAPAVER Rhocas. E.

Papaver erraticum. L.

Brit. *Petala*. Infus.

a. Syrupus Papaver. errat. L.

49. SIUM nodiflorum.

SIUM. L.

Brit. *Herba*.

Formulae.

36. R. Tinct. Opii gtt. 20.—30.

Laur. Cinnam.

Syrup. Papav. rhoeae. aa dr. 2.

Aq. Cinnamom. unc. 1. M. f. Haust.

Signr. *The anodyne draught to be taken at bed time.*

37. R. Tinctur. Opii gtt. 30.

Succ. Citr. medic. recent. unc. $\frac{1}{2}$.

Syrup. simplic. dr. 2.

Aquae. menth. virid. unc. 1. M. f. Haust. ut supra.

For patients in whom Opium is apt to excite headach or sickness.

33. R. Opii purificat. gr. 2.

Aquae Zinci vitriolat. cum Camphor. unc. 2.

Solve pro Collyrio.
In Ophthalmia with great sensibility.

139. R. Ol. Olivae. unc. 2.

Ungt. Hydrargyr. dr. $\frac{1}{2}$.

Tinct. Opii gtt. 40. ad 60. M. f. Injectio.

Signr. *To be used every night and morning.*

In Gonorrhoea.

140. R. Cerat. Sperm. Cet. unc. 1.

Tinct. Opii unc. $\frac{1}{2}$.

Cerato liquefacto et jam frigescenti addo

Tincturam et agita u. f. Ceratum.

Signr. *Some of this Cerate to be rubbed on the parts affected three times a day.*

In Haemorrhoid.

141. R. Pulv. Conorum Humul. lupul. gr. 3.

Cons. Ros. gallic. q. s. f. Bolus.

Sign. *To be taken at bed time, drinking after it a spoonfull of Lemon Juice.*

142. R. Pulv. Conor. Humul. Lupul. unc. 1.

Alcohol. dilut. lib. $\frac{1}{2}$.

Digere per dies octo et cola.

Dos. *Thirty or forty drops.*

CLASS XVI. ANTHELMINTICA.

1. *Animalia.*

1. MURIAS AMMONIAE.

a. Aqua Carbonat. Ammoniae.

Emuls.

2. Vegetabilia.

2. ANTHEMIS nobilis.

Pulv. scr. 1.—dr. $\frac{1}{2}$. bis in die.

Lumbric.

6. NICOTIANA Tabacum.

Enema.

Ascarid.

7. OLEA europea.

Oleum. Enema. Emuls.

13. ALLIUM sativum.

Rad. recens. Subst. ad libitum.

17. FERULA Asa foetida.

Gum. Resin. Enema. scr. 1.—2.

16. CONVULVULUS Jalapa.

Rad. Pulv. gr. 10.—30.

17. CONVULVULUS Scammonium.

Pulv.

a. Pulvis Scammonii compositus.

1. HELLEBORUS foetidus.

Fol. Succ. express.

Lumbric.

6. RHEUM palmatum.

Pulv. gr. 5.—10. omni nocte.

7. RICINUS communis.

Oleum express. unc. $\frac{1}{2}$.—1. Enem. unc. 1.—2.

88. STALAGMITIS Cambogioides.

Pil. gr. 5.—15.

Ad Taeniam.

98. RUTA graveolens.

Infus. Enema.

Oleum volat. Rutae. gtt. 3.—6.

147. JUGLANS regia.

Cortex. Fructus immatur. Extract.

174. TANACETUM vulgare.

Flor. Pulv. scr. 1.—2.

242. VALERIANA officinalis.

Rad. Pulv. dr. 1.

250. ARTEMISIA Santonica. E.

*Santonicum. L. D.**Asia. Semen. Pulv. dr. $\frac{1}{2}$.—scr. 2. bis in die.*

251. DOLICHOS pruriens. E.

Ind. Occ. Pubes leguminum.. Elect. gr. 10.—30

252. GEOFFROEA inermis. E.

*Jamaica. Cortex. Decoct. Syrup.**Decoctum Geoffr. inerm. E. unc. 1.—2, omni mane.*

253. POLYPODIUM Filix mas. E.

*Filix. L.**Filix mas. D.**Brit. Rad. Pulv. dr. 2.—3.**Ad Taeniam*

254. SPIGELIA marilandica. E.

Amer. Rad. Pulv. gr. 10.—scr. 2.

3. Fossilia.

45. HYDRARGYRUM.

Amalgama Stanni.

Submurias Hydrargyri. gr. 3.—10.

89. MURIAS Sodae.

Pulv. dr. $\frac{1}{2}$.—unc. 1.

100. FERRUM.

a. Carbonas Ferri gr. 10.—30.

d. Sulphas Ferri gr. 3.—10.

k. Ferri limatura purificat. dr. $\frac{1}{2}$.—1.

o. Tartris Ferri et Potassae gr. 10.—scr. 1.

255. CALX. E.

Calx viva. L.*Calx recens usta.* D.Aqua Calcis. L. E. D. Enema. lib. $\frac{1}{2}$.—1.*Ad Ascard.*

256. STANNUM L. E. D.

Stanni Pulvis. L. unc. $\frac{1}{2}$.—1.*Ad Taeniam, et Lumbric.*

Formulae.

43. R. Resin. Convolv. Scammon.

Pulv. Rad. Conv. Jallap. aa gr. 5.

Submuriat, Hydrargyr. gr. 3.

Sulphat. Potass. gr. 10.

Simul in Pulv. tere.

Signr. *To be taken every third or fourth night for three nights, in a little honey.*

144. R. Pulv. Rhei gr. 5.—8.

Aromatic. gr. 5. M. f. Pulv.

Signr. *To be taken every night in a little weak brandy and water.*

145. R. Spicul. legum. Dolich. prur. dr. 2.

Syrup. simplic.

Aut, Faecum sacchar. q. s. f. Elect. moll.

Signr. *Two or three tea spoonsfull to be taken every morning for three or four days.*

146. R. Pulv. Rad. Spigel. Mariland.

Semin. Artemis. Santon. aa gr. 15.—scr. 1.

Submuriat. Hydrarg. gr. 3. m. f. Pulv.

Signr. *To be taken every third morning in a little Treacle.*

147. R. Submuriat. Hydrargyr. gr. 8.

Ol. Rutae graveolent. gt. 2.

Opii gr. 1.

Cons. fruct. Ros. canin. q. s. f. Bolus.

Signr. *To be taken at bed time and repeated occasionally.*

148. R. Carbonat. Ferri. scr. 1.

Pulv. Laur. Cinnamom. gr. 10. M. f. Pulv.

To be taken every morning fasting.

149. R. Pulv. Stanni. unc. 1.

Hydrargyr. purificat. dr. 1. simul optime
tere in Amalgam.

R. Amalgam. hujusce. dr. 1.

Pulv. Rhei palmat. gr. 10. M. f. Pulv.

Signr. *To be taken every night in a little Syrup or Molasses.*

CLASS XVII. CHEMICA.

1. *Animalia.*

1. MURIAS Ammoniae.

a. Aqua Ammoniae. gtt. 10.—15.

c. Carbonas Ammoniae. gr. 5.—15.

d. Aqua Carbonatis Ammoniae. gtt. 20.—40.

f. Sal. cornu Cervi. gr. 5.—12.

Ad Cardialg. et Venena metallica quaedam.

73. CERVUS Elaphus.

Phosphas Calcis E.

Cornu Cervi ustum praeparatum. L. } gr. 10.-20.

} bis in die.

Ad Rachit.

257. CANCER Astacus et Pagurus. E.

Canceris Oculi, vel Chelae. L.

Brit. *Lapill, et Chelae. Pulv.*

a. Chelae Canceror. praeparat. L. dr. $\frac{1}{2}$.—1.

b. Pulvis e Chel. Cancr. compos. L. scr. 1.—2.

Ad Diarrhoeam, &c.

258. ISIS nobilis. E.

Corallium. L.

a. Corallium rubrum praepar. L.

259. OSTREA edulis. E.

Ostreæ Testeae. L.Brit. *Testae* Pulv.a. *Testae* Ostr. praepar. L.

260. SPONGIA officinalis. E.

Spongia. L.a. *Spongia* usta. L. scr. 1.—2.

Ad Scroful.

2. *Vegetabilia*.

237. * CARBONAS POTASSAE impurus.

a. *Aqua* Potassae.b. *Potassa*. E. Externe.*Kali purum*. L.*Alkali vegetabile caust.* D.c. *Potassa cum Calce*. E.*Calx cum Kali puro*. L.*Causticum mitius*. D.d. *Carbonas Potassae*. E. gr. 10.*Kali praeparatum*. L.*Alkali vegetabile mite*.e. *Carbonas Potass. puriss.* E. gr. 10.f. *Aqua Carbonat. Potass.* gt. 30.*Kali*. L.*Lixivium mite*. D.g. *Aqua super-carbonat. Potass.* E. unc. 4.
saep. in die.*Liquor Alkal. veget. mitiss.* D.

Ad Cardialg. Calculum, &c.

* It is rather surprising that this should have been named *Carbonas*. It is in fact a mixture of Carbonat of Potash with pure Potash, as is evident from treating it with Alcohol, which dissolves the Potash, but is incapable of dissolving the Carbonat.

3. *Fossilia.*

10. SULPHAS CUPRI.

Externe ad Ulcera, &c.

11. SULPHURETUM ANTIMONII.

k. Murias Antimonii. E.

Antimonium muriatum. L.*Stibium Muriatum.* D.

Externe pro Escharotico.

25. SULPHUR sublimatum.

a. Sulphuretum Potassae. E.

Kali sulphuratum. L.*Alkali vegetabile sulphurat.* D.

Ad Venena metallica.

} gr. 10.

b. Hydrosulphuretum Ammoniae. E. gtt. 5.-10.

Ad Diabeten.

61. NITRAS POTASSAE.

Acidum nitrosum.

72. SAPO Hispanus.

Pilul.

Ad Calculum.

89. MURIAS SODAE.

Acidum Muriaticum.

Ad Calculum.

90. SULPHAS MAGNESIAE.

a. Carbonas Magnesiae. dr. $\frac{1}{2}$.*Magnesia Alba.* L. D.

b. Magnesia. E. scr. 1.—dr. 1.

Magnesia Usta. L. D.

c. Trochisci Magnesiae. L. ad libit.
Ad Cardialgiam.

144. ACIDUM SULPHURICUM.
 Acidum sulphuric. dilutum.

159. SUPERSULPHAS ALUMINAE et POTASSAE.
 Sulphas Aluminae exsiccat.
Externe ad Ulcera.

175. ARGENTUM.
 Nitras Argenti.
Externe pro Escharotico.

176. OXIDUM ARSENICI.
 Pulv. Externe ad Carcinom.

255. CALX.
 Aqua Calcis. E. L. D.
 Ad Dyspeps.

261. BOLUS Gallicus. L.
 Pulv.
 Ad Diarrhoeam, &c.

262. CARBONAS CALCIS. E.
 Creta. L. D.
 a. Carbonas Calcis praeparat. E. gr. 15.—dr. 1.
Creta praeparata. L. D.
 b. Pulv. Carbonat. Calc. com. E. gr. 15.—30.
Cretae composit. L.
 c. Trochisc. Carbonat. Cretae. E. ad libit.
Cretae. L.
 d. Potio Carbonat. Calcis. unc. 2.—3.
Mistura Cretacea. L.

e. Aqua Aeris fixi. D. lib. $\frac{1}{6}$.—1 in die.
Ad Cardialgiam. Calculum.

263. CARBONAS SODAE impurus. E.

Natron. L.

Alkali fossile mitc. D.

a. Carbonas Sodae. E. } gr. 10.—30.
Natron praeparatum. L.

b. Aqua super-carbonatis Sodae. E lib. $\frac{1}{2}$.—1.
 in die.

Ad Calculum, &c.

Formulae.

150. R. Magnesiae. gr. 10.

Pulv. Rad. Rhei palm. gr. 8.

Amom. Zingib. gr. 3. M. f. Pulv.

Signr. *One to be taken twice a day, or before every meal.*

151. R. Magnesiae gr. 10.—scr. 1.

Pulv. Laur. Cinnam. gr. 3.

Sacch. purific. gr. 10. M. f. Pulvis.

Signr. *One to be taken occasionally.*

152. R. Magnesiae. dr. 1.

Aq. Destillat. unc. $5\frac{1}{2}$.

Sp. Laur. Cinnam. dr. 3.

Aq. Ammoniae. dr. 1. M.

Signr. *Two or three table spoonsfull to be taken occasionally, or after every meal if the heart-burn is very troublesome.*

In Pregnancy, &c.

153. *R. Carbonat. Sodae exsiccata. et trita.*

Sapon. Hispan. aa dr. 1.

Electuar. Aromatic. q. s. f. Massa in Pil. 30
dividend.

Signr. Three or four to be taken three times a
day.

Ad Calculum.

CLASS XVIII. MISCELLANEA.

1. *Animalia.*

264. *COCCUS Cacti. E.*

Coccinella. L.

Mexico.

2. *Vegetabilia.*

265. *CARBO LIGNI. E.*

266. * *ANCHUSA tinctoria. E.*

Anchusa. D.

Eur. merid. Radix.

267. *BOLETUS igniarius. E.*

Agaricus.

Brit.

Ad Vulnere.

268. *DELPHINIUM Staphisagria.*

Staphisagria. L. D.

* This and 269 might have been placed among the astringents, but as they are employed merely to give a red colour to an unguent and a tincture, it was thought best to place them here.

† This is properly an astringent.

Eur. mer. *Semen. Pulv.*
Externe ad Pediculos. &c.

269. PTEROCARPUS Santolinum. E.
Santolinum rubrum. L. D.
India. *Lignum.*

270. SOLIDAGO Verga Aurea.
Virga Aurea. D.
Brit. *Flor. Folia.*

3. *Fossilia.*

271. CARBONAS ZINCI impurus. E.
Lapis Calaminaris. L. D.
Brit. &c. Unguent. &c. Collyr.
Ceratum Carbonat. Zinci impur. E.
Lapidis Calaminaris. L. D.

272. OXIDUM PLUMBI album. E.
Cerussa. L. D.
Brit. Unguent. &c.
Unguentum Oxidi Plumbi albi. E.

273. OXIDUM PLUMBI rubrum. E.
Minium. L. D.

274. OXIDUM PLUMBI semivitreum. E.
Lithargyrus.
Emplastrum Oxidi Plumbi semivitrei. E.
Lithargyri. L. D.

275. OXIDUM ZINCI impurum. E.
Tutia. L. D.
Brit. &c. Unguent et Collyr.

Oxidum Zinci impur., praeparat. E.
Tutia praeparata. L. D.
 Unguentum Oxidi Zinci impuri. E.
Tutiac. L. D.

Miscellanea Praeparata.

Aquâ Destillata. E.
 Syrupus simplex. E.
 Unguentum Sambuci. L. D.
 Unguentum Sulphuris. L.
Ad Psoram.
 Unguentum Oxidi Zinci. E.

Formulae Miscellaneae.

154. *Enema Nutriens.*

R. Decoct. Carn. Bubul. fort. unc. 8.

Amyli. unc. $\frac{1}{2}$. M. f. Enema.

Signr. *To be given every three or four hours.*

Huic si citius rejiciatur. adde

Tinct. Opii dr. 1.

In Dysphagia.

155. R. Carbon. ligni. scr. 1.

Acid. Citric. crystall. gr. 5. M. f. Pulv.

Signr. *One to be taken twice or thrice a day.*

To obviate foetid stools in Dysentery, &c.

156. *Pulvis Dentifricus.*

R. Pulv. Rad. Irid. florent.

Carbon. ligni. aa dr. 3.

Myrrh.

Corall. rubr. praep. aa dr. 1. M. f. Pulv.

157. *R. Sulphat. Zinci.*

Sacch. alb. crystall. aa dr. 1.

Simul in Pulv. crassiuscul. tere.

Signr. *A little to be applied to the Cornea by means of a hair pencil twice or thrice a day.*

In Calig. Corneae.

158. *Unguent. Antipsoricum.*

R. Sulphur. sublimat. lib. 1.

Sulphuret. Hydrarg. rubr. in Pulv. subtiliss.
trit. unc. 4.

Adip. Suill.

Sapon. moll. aa lib. 1.

Ol. Lavend. spic. dr. 2.

Adipi et Saponi simul liquefactis adde Sulphurum et Sulphuretum bene commista et agita donec frigescent; sub finem addendo Oleum.—unc. 4. pro Adulto.

Signr. *The whole body to be anointed well with the whole of the Ointment before a fire.*

159. *Alterum.*

R. Axung. Porcin. unc. 3.

Calc. Hydrarg. alb. dr. 1.

Muriat Hydrarg. corros. gr. 10. Simul optime tere in Ungt.

Signr. *A tenth part of this Ointment to be rubbed on the parts affected every night.*



APPENDIX,

Containing some Articles which have not been received by either of the Colleges.

EXPECTORANTIA.

GAS Oxygenium.

Aer vitalis. lib. 2.—4. in die cum lb. 20.—40.

Aeris Atmosphaerici.

Asthma.

GAS Hydrogenium.

Aer inflammabilis.

Ut supra.

DIAPHORETICA.

ASTRAGALUS exscapus.

Eur. merid. *Radix.* Decoct.

In Syphilid.

CLEMATIS erecta.

*Flammula Jovis.*Eur. mer. *Folia. Flores. Decoct.*

1

DIURETICA.

ALLIUM Porrum.

Cult. *Radix. Decoct. ad libit.*

Ad Hydropem.

ANTIRRHINUM Linaria.

*Linaria.*Brit. *Flores. Decoct. Infus.*

Ad Hydropem.

ASPARAGUS officinalis.

Brit. Cult. *Turiones. Radix. Decoct.*

Hydrop.

CICHOREUM Intybus.

Brit. *Radix. Decoct.*

ERYSIMUM officinale.

Brit. *Herba. Decoct.*

ONONIS spinosa.

Brit. *Rad. Decoct.*

THYMUS vulgaris.

Cult. *Summit. florent. Infus.*

THYMUS Serpyllum.

*Serpyllum.*Brit. *Herba. Infus.*

CATHARTICA.

CONVOLVULUS Americanus.

America. *Radix*.

RHEUM undulatum.

Siberia. *Rad.* Pulv. &c.

Ut RHEUM palmatum.

SAMBUCUS Ebulus.

Ebulus.Brit. *Cortex intern.* Decoct.

Ad Hydropem.

ERRHINA.

ACHILLEA Ptarmica.

Ptarmica.Brit. *Rad.* Herba. Pulv.

EMOLLIENTIA.1. *Animalia*.

HELIX Pomatia.

Decoct.

Ad Phthisin, &c.

2. *Vegetabilia.*

CANNABIS sativa.

Cult. Semen. Infus.

CUCUMIS Melo.

Melo.

Cult. Semen. Infus.

CUCURBITA Pepo.

Pepo.

Cult. Semen. Infus.

CYCAS Circinalis.

Sago.

Europ. merid. Medulla. Decoct.

IATROPHA Ianipta.

Cassada. Tapioca.

America. Radix. Decoct.

LICHEN Islandicus.

Islandia. Decoct.

In Phthis. &c.

MARANTA Arundinacea.

America. Ind. Occ. Rad. Pulv.

ORCHIS mascula, &c.

Brit. Rad. Decoct.

ORYZA sativa.

India. Cult. Semen. Decoct.

Ad Diarrhoeam, &c.

TRIFOLIUM Melilotus officinalis.
Eur. merid. *Herba*. Unguent.

REFRIGERANTIA.

RUBUS Arcticus.
Eur. Septent. *Bacca*.

VACCINIUM Oxycoccos.
Brit. *Bacca*.

VACCINIUM Vitis Idaea.
Brit. *Bacca*.

ASTRINGENTIA.

LYCOPERDON Bovista.
Brit.
Ad Haemorrhag. externe.

PLANTAGO media.
Brit. *Herba*.

SEMPERVIVUM tectorum.
Brit. *Folia*.

RESINA flava Novi Belgii.
Acoroides resinifera.
Nova Belgia. *Resina*. Pulv. &c. gr. 15.—30.
Ad Diarrh. Dysenter. protract, &c.

TONICA.

DICTAMNUS albus.

Europ. mer. *Radix*. Pulv.

GENTIANA Pannonica.

Europ. mer. *Rad.*

Pro GENTIANA lutea.

GEUM rivale.

Radix. Pulv.

Ad Febres intermitt.

GEUM urbanum.

Caryophyllata.

Brit. *Rad.* Pulv. scr. 2.—dr. 1.

Ad Intermitt. pro CINCHONA.

ILEX aquifolium.

Brit. *Folia*. Pulv.

Ad Podagram.

LYTHRUM Salicaria.

Brit. *Herba*.

RUMEX aquaticus.

Brit. *Radix*.

SALIX alba. &c.

Pro SALICE fragili. quod vid.

Teucrium Chamaedrys.

Herba.

Ad Amenorrh.

STIMULANTIA.1. *Animalia.*

MELOE Proscarabaeus.

Brit. Pulv.

Pro LYTТА vesicatoria.

2. *Vegetabilia.*

ANEMONE nemorosa.

*Pulsatilla nigricans.*Brit. *Herba recens.* Externe.

EUPHORBIA officinalis.

*Euphor ii Gumm.**Succ. spissat.* Externe.

MENTHA crispa.

Brit. *Herba.*

Pro MENTHA viridi

MENTHA aquatica.

Ut supra.

ORIGANUM Dictamnus.

*Dictamnus Creticus.*Candia, &c. *Herba.*

ELECTRISATIO et GALVANISATIO.

NARCOTICA.

PRUNUS Lauro-cerasus.

Lauro-cerasus.

Europ. merid. Folia &c. Aqua distillata.

STRYCHNOS Nux vomica.

Nux vomica.

India. *Nucleus.* Pulv.

Ad Maniam, &c.

MISCELLANEA.

HIRUDO medicinalis.

Brit.

Pro venaesectione.

SEPIA Octopoda.

Pulv. Dentifric.

TABLE OF SECONDARY SALTS.

<i>Salt.</i>	<i>Solubility.</i>	<i>Base.</i>	<i>Acid.</i>	<i>Water.</i>
1. SUPERSULPHAT OF ALUMINA AND POTASS.	At. 60°. 15. 212, 52.	Cryst. 12. Bt. 63, 75.	17. 66. 36. 25.	70. 34. 0.
2. SULPHAT OF MAGNESIA.	1. $\frac{3}{4}$.	17.	29. 35.	53. 65.
3. SULPHAT OF POTASS.	16. 4. 5.	54. 8.	45. 2.	0.
4. SULPHAT OF SODA.	2. 6. 0. 8 Efflor.	Cr. 18. 48. Dry. 44.	23. 52. 56.	58. 0.
5. SULPHAT OF COPPER.	4. 2.	32.	33.	35.
6. SULPHAT OF IRON.	2. $\frac{3}{4}$.	28.	26.	46.
7. SULPHAT OF ZINC.	2. 5.	20.	40.	40.
8. SUB-SULPHAT OF MERCURY.	2000.	87.	10.	3.
9. NITRAT OF POTASS.	7. 1.	51. 8	44.	4. 2.
10. NITRAT OF SILVER.	1.			
11. MURIAT OF BARYTA.	5.	Cr. 64. Dry. 73. 2.	20. 26 8.	16. 0.

DECOMPOSITION.

*Single Affinity.**Double Affinity.*

<i>a.</i> Baryta. <i>b.</i> Potass. <i>c.</i> Soda. <i>d.</i> Lime. <i>e.</i> Magnesia. <i>f.</i> Ammonia. <i>g.</i> Tan- nin. <i>h.</i> Gallic Acid. <i>i.</i> Oxalic Acid. <i>k.</i> Tartaric Acid.	9, 10, 11, 12, 14, 15, 22, 23, 24, 25, 26, 27, 28, 34, 37.
<i>a, b, c, d, f,</i>	10, 11, 12, 17, 18, 22, 23, 25, 26, 27, 28, 32, 34, 37 39.
<i>a.</i>	10, 11, 12, 14, 15, 17, 21, 22, 32, 34, 39.
<i>a, b.</i>	9, 10, 11, 12, 17, 32, 34, 39.
<i>a, b, c, d, e, f, k,</i> <i>l.</i> Muriatic Acid. <i>m.</i> Zinc. <i>n.</i> Iron <i>o.</i> Tin.	9, 10, 11, 12, 14, 15, 17, 21, 25, 26, 27, 32, 34, 37.
<i>a, b, c, d, e, f.</i>	1, 11, 12, 17, 32, 34, 37,
<i>a, b, c, d, e, f.</i>	, 11, 34.
<i>a,</i> <i>p.</i> Sulphuric Acid. <i>q.</i> Caloric.	1, 2, 4, 11, 12.
<i>a, b, c, d, e, f, m, l, o, r,</i> Phospho- ric Acid. <i>s.</i> Copper. <i>t.</i> Mercu- ry.	1, 2, 3, 4, 5, 6, 7, 11, 12, 14, 15, 17, 18, 19, 21, 22, 23, 24, 25, 26, 27, 28, 29, 37.
<i>p.</i>	1, 2, 3, 4, 5, 6, 7, 9, 10, 21, 25, 26, 27, 28, 37.

<i>Salt.</i>	<i>Solubility.</i>	<i>Base.</i>	<i>Acid.</i>	<i>Water.</i>
12. MURIAT OF LIME.	$\frac{1}{2}$. Deliquesc.	Cr. 44. Dr. 50.	31. 42.	25. 8.
13. HYPER-OXY-MURIAT OF POTASS.				
14. MURIAT OF SODA.	2. 8.	53.	38.88.	8.12.
15. MURIAT OF AMMONIA.	3. 1.	25.	42.75.	32.25.
16. MILD MURIAT OF MERCURY.	0.	88. 5.	11. 5.	0.
17. CORROS. MURIAT OF MERCURY.	20. 2.	82.	18.	0.
18. RED MURIAT OF IRON.	Deliquesc.			
19. MURIAT OF ANTIMONY.	0.			
20. PHOSPHAT OF LIME.	0.			
21. PHOSPHAT OF SODA.	4. 2.	19.	15.	66.
22. CARBONAT OF BARYTA.	0.	22.	78.	0.
23. CARBONAT OF LIME.	0.	55.	45.	0.

DECOMPOSITION.

<i>Single Affinity.</i>	<i>Double Affinity.</i>
<i>a, b, e, p, u</i> , Nitric Acid. <i>a</i> , Boracic Acid.	1, 2, 3, 4, 5, 6, 7, 9, 10, 21, 28.
<i>a, b, p, u</i> .	1, 3, 5, 10, 32, 34.
<i>a, b, c, d, p, u</i> .	1, 3, 5, 10, 22, 25, 26, 27, 31, 37, 39.
<i>a, b, c, d, e, f, s</i> .	2, 3, 4, 5, 6, 22, 23, 24, 25, 26, 27, 28.
<i>a, b, c, d, f, e, i, k, p</i> .	
<i>a, b, c, p, u, l</i> .	3, 5, 10, 11, 12.
<i>p</i> .	1, 2, 3, 4, 10, 15, 17, 38.
<i>a, i, p, k, r, u, l</i> . <i>w</i> , Citric Acid, <i>v. x</i> . Acetic Acid.	1, 2, 10, 17, 38.

<i>Salt.</i>	<i>Solubility.</i>	<i>Base.</i>	<i>Acid.</i>	<i>Water.</i>
24. CARBONAT OF MAGNESIA.	0.	45.	34.	21.
25. CARBONAT OF POTASS.		40.	43.	17.
26. SUBCARBONAT OF POTASS.	Deliqu.			
27. CARBONAT OF SODA.				
28. CARBONAT OF AMMONIA.	2.			
29. CARBONAT OF IRON.	0.			
30. CARBONAT OF ZINC.	0.			
31. ACETAT OF POTASS.	Deliquesc.			
32. ACETAT OF MERCURY.				
33. ACETAT OF IRON.				
34. ACETAT OF LEAD.				
35. ACETAT OF ZINC.				
36. SUB-ACETAT OF COPPER.				

DECOMPOSITION.

<i>Single Affinity.</i>	<i>Double Affinity.</i>
<i>b, c, d, i, p, u, l, k, w, v, x.</i>	1, 10, 17, 29, 38.
<i>d, i, p, u, l, k, w, v, x.</i>	1, 2, 4, 5, 6, 7, 10, 11, 15, 17, 38.
<i>d, i, b, u, l, k, w, v, x.</i>	1, 2, 5, 6, 7, 10, 11, 15, 17, 38.
<i>b, d, i, p, u, l, k, w, v, x.</i>	1, 2, 5, 6, 7, 10, 11, 14, 16, 38.
<i>b, c, d, i, p, u, l, k, w, v, x.</i>	1, 2, 10, 11, 12, 15, 38.
<i>p, u, l, k, w, v, x.</i>	38.
<i>p, l, u, k, r, w, x, v.</i>	
<i>u, l, r, i, k, v, w.</i>	15, 40.
<i>b, c, d, f, e, b, l, i, r, p, k, w, u.</i>	2, 3, 4, 5, 6, 14.
<i>b, c, d, f, e, b, i, k, p, l, u, r, w.</i>	
<i>b, c, d, f, e, o, b, p, i, k, v, l, u,</i> <i>v,</i>	1, 2, 3, 4, 5, 6, 14.

<i>Salt.</i>	<i>Solubility.</i>	<i>Base.</i>	<i>Acid.</i>	<i>Water.</i>
37. SUBBORAT OF SODA.	18. 6.	17,	39.	44.
38. SUPERTARTRAT OF POTASS.	60. 13.	33.	67.	
39. TARTRAT OF POTASS.	4. Deliq.			
40. TARTRAT OF POTASS AND SODA.	5. Efflor.	Tart. Pot. 54.	Tart. Sod. 46.	
41. TARTRAT OF ANTIMONY AND POTASS.	15. 3.	Ox. Ant. 38. Pot. 16.	34.	12.
42. TARTRAT OF IRON AND POTASS.				
43. ARSENIAT OF POTASS.				

DECOMPOSITION.

*Single Affinity.**Double Affinity.**d, a, e, b, p, u, l, r, i, k, w, x,*

1, 2, 5, 6, 10, 11, 15.

d, a, e, b, c, f,

22, 23, 24, 25, 26, 27, 28, 29.

Acids.

d, a, e.

2, 3, 4, 15.

*a, d, p, l, u.**e, d, f, b, p, l, u.*

27, 28.

b,

INDEX I.

TABLE OF NAMES CHANGED IN THE LAST EDITION OF THE EDINBURGH PHARMACOPOEIA.

NAMES CHANGED.

ABSINTHIUM.

Acetosa.

Acetum vini.

Acidum vitriolicum.

——— *vitrioli aromaticum.*

Ærugo.

Æther vitriolicus.

Æthiops mineralis.

Agaricus.

Alkali causticum.

——— *fixum fossile.*

——— *vegetabile.*

——— *volatile.*

Alumen.

——— *ustum.*

NEW NAMES.

ARTEMISIA absinthium.

Rumex acetosa.

Acidum acetosum.

Acidum sulphuricum.

——— *aromaticum.*

Sub-Acetis cupri.

Æther sulphuricus.

Sulphuretum hydrargyri nigrum.

Boletus igniarius.

Potassa.

Carbonas sodæ.

——— *potassæ impurus.*

——— *ammoniaæ.*

Sulphas aluminae.

——— *exsiccatus.*

NAMES CHANGED.

NEW NAMES.

Ammonia muriata.

Murias ammoniac.

———— praeparata.

Carbonas ammoniac.

Amygdala dulcis.

Amygdalus communis.

Angelica sativa.

Angelica Archangelica.

Anisum.

Pimpinella anisum.

Antimonium.

Sulphuretum antimonii.

———— calcareo-phosphoratum.

Oxidum antimonii cum phosphate calcis.

———— muriatum.

Murias antimonii.

———— tartarisatum.

Tartris antimonii.

Aqua ammoniac.

Aqua carbonatis ammoniac.

———— acetatae.

———— acetitis ammoniac.

———— causticae.

———— ammoniac.

———— cupri vitriolati composita, vel aqua styptica.

Solutio sulphatis cupri composita.

———— lixivina caustica.

Aqua potassae.

———— zinci vitriolati.

Solutio sulphatis zinci.

Arabicum gummi.

Gummi mimosae niloticae.

Argentum nitratum.

Nitras argenti.

———— vivum.

Hydrargyrus.

Arsenicum.

Oxidum arsenici.

Asa foetida.

Gummi-resina ferulae assae foetidae.

Aurantium Hispalense.

Citrus aurantium.

Axungia Porcina.

Adeps suis scrofae.

Balsamum Canadense.

Resina liquida pini balsameae.

———— Copaiba.

———— copaiferae officinalis.

———— Gileadense.

———— aniridis Gileadensis.

———— Peruvianum.

Balsamum myroxyli p. ruiferi.

———— Tolutanum.

———— toluiferae balsami.

———— traumaticum.

Tinctura benzoin composita.

Bardana.

Aethium lappa.

NAMES CHANGED.

NEW NAMES.

Barilla.
Barytes.
Belladonna.
Benzoinum.
Bistorta.
Borax.
Butyrum antimonii.

Cajuputa.
Calamus aromaticus.
Calomelas.
Calx viva.
Cancerum lapilli.
Cantharis.
Cardamomum minus.
Carduus benedictus.
Carica.
Carvi.
Caryophylla aromatica.
 ——— *rubra.*
Cascarillo.
Cassia fistularis.
 ——— *lignea.*
Catechu.
Causticum commune acerrimum.
 ——— *mitius.*
 ——— *lunare.*
Centaurium minus.
Cerussa.
 ——— *acetata.*
Chamaemelum.
Cicuta.

Carbonas sodæ impurus.
 ——— *barytae*
Atropa belladonna.
Bals. unum styracis benzoin.
Polygonum bistorta.
Boras sodæ.
Murias antimonii.

Melaleuca leucadendron.
Acorus calamus.
Sub-Murias hydrargyri.
Calx.
Carbonas calcis durior.
Meloë vesicatorius.
Amomum repens.
Centaurea benedicta.
Fructus fici caricae.
Carum carvi.
Caryophyllus aromaticus.
Dianthus caryophyllus.
Croton eleutheria.
Cassia fistula.
Laurus cassia.
Extractum mimosae catechu.
Potassa.
 ——— *cuni calce.*
Nitras argenti.
Chironia centaurium.
Oxidum plumbi album.
Acetis plumbi.
Anthemis nobilis.
Conium maculatum.

NAMES CHANGED.

NEW NAMES.

<i>Cinnabaris factitia.</i>	Sulphuretum hydrargyri re- brum.
<i>Cinara hortensis.</i>	Cinara scolymus.
<i>Cineres clavellati.</i>	Carbonas potassae impurus.
<i>Cinnamomum.</i>	Laurus cinnamomum.
<i>Coccinella.</i>	Coccus cacti.
<i>Colocynthis.</i>	Cucumis colocynthis.
<i>Confectio Japonica.</i>	Electuarium mimosae catechu.
<i>Contrajerva.</i>	Dorstenia contrajerva.
<i>Cortex Peruvianus.</i>	Cortex cinchonae officinalis.
<i>Creta alba.</i>	Carbonas calcis mollior.
<i>Crocus antimonii.</i> }	Oxidum antimonii cum subphure
<i>— metallorum.</i> }	per nitratem potassae.
<i>Crystalli tartari.</i>	Super-Tartris potassae.
<i>Cucumis agrestis.</i>	Fructus recens momordicae ela- terii.
<i>Cuprum ammoniacum.</i>	Ammoniaretum cupri.
<i>— vitriolatum.</i>	Sulphas cupri.
<i>Cynosbatus.</i>	Fructus recens rosae caninae.
<i>Daucus silvestris.</i>	Daucus carota.
<i>Decoctum chamaemeli vel commune.</i>	Decoctum anthemidis nobilis.
<i>— lignorum.</i>	— guziaci compositum.
<i>Dens leonis.</i>	Leontodon taraxacum.
<i>Elaterium.</i>	Succus spissatus momordicae ela- terii.
<i>Electuarium lenitivum.</i>	Electuarium cassiae sennae.
<i>Elixir paregoricum.</i>	Tinctura opii ammoniata.
<i>— sacrum.</i>	— rhei et aloës.
<i>Elixir salutis.</i>	Tinctura sennae composita.
<i>— sternacbicum.</i>	— gentianae composita.
<i>Emplastrum adhaesivum.</i>	Emplastrum resinosum.

NAMES CHANGED.

Emplastrum cereum.
 ———— *litbargyri vel com-*
 mune.
 ———— *litbargyri compositum*
 vel roborans.
 ———— *vesicatorium.*
Emulsio communis.

Ferrum ammoniatum.
Ferri rubigo.
 ———— *squamac purificatae.*
 ———— *praeparatae.*

Ferrum vitriolatum.
 ———— *ustum.*

Filix mas.
Flores martiales.
Flores sulphuris.
Flores zinci.
Foeniculum dulce.

Galbanum.
Genista.
Granata malus.
Gummi arabicum.

Helleborus albus.
Hepar sulphuris.
Hippocastanum.
Hydrargyrus acetatus.
 ———— *muratus corrosivus.*

NEW NAMES.

Emplastrum simplex.
 ———— *oxidi plumbi semi-*
 vitrei.
 ———— *oxidi ferri rubri.*

Emplastrum meloës vesicatorii.
Emulsio amygdalæ communis.

Murias ammoniae et ferri.
Carbonas ferri.
Oxidum ferri nigrum purifica-
 tum.
 ———— *praepara-*
 tum.

Sulphas ferri.
Oxidum ferri rubrum.
Polypodium filix mas.
Murias ammoniae et ferri.
Sulphur sublimatum.
Oxidum zinci.
Anethum foeniculum.

Gummi-resina bubonis galbani.
Spartium scoparium.
Punica granatum.
Gummi mimosae niloticae.

Veratrum album.
Sulphuretum potassae.
Æsculus hippocastanum.
Acetis hydrargyri.
Murias hydrargyri.

NAMES CHANGED.

NEW NAMES.

<i>Hydrargyrum muriatum mitis.</i>	Sub-Murias hydrargyri, five calomelas.
————— <i>praecipitatum.</i>	————— hydrargyri praecipitatum.
————— <i>nitratum rubrum.</i>	Oxidum hydrargyri rubrum per acidum nitricum.
————— <i>praecipitatum cinereum.</i>	Oxidum hydrargyri cinereum.
————— <i>sulphuratum nigrum.</i>	Sulphuretum hydrargyri nigrum.
————— <i>vitriolatum flavum.</i>	Sub-Sulphas hydrargyri flavus.
<i>Infusum amarum.</i>	Infusum gentianae compositum.
————— <i>rosarum.</i>	————— rosae Gallicae.
<i>Jalapa.</i>	Convolvulus jalapa.
<i>Lapis calaminaris.</i>	Carbonas zinci impurus.
<i>Lavendula.</i>	Lavandula spica.
<i>Laudanum liquidum.</i>	Tinctura opii.
<i>Lignum Campechense.</i>	Lignum Haematoxyli Campechiani.
<i>Limon.</i>	Fructus citri medicae.
<i>Linimentum anodynum vel opiatum.</i>	Tinctura saponis et opii.
————— <i>saponaceum.</i>	Tinctura saponis.
————— <i>volatile.</i>	Oleum ammoniatum.
<i>Lithargyrum.</i>	Oxidum plumbi semivitreum.
<i>Lixiva acetata.</i>	Acetis potassae.
————— <i>e tartaro.</i>	Carbonas potassae purissimus.
————— <i>purificata.</i>	Carbonas potassae.
————— <i>tartarisata.</i>	Tartris potassae.
————— <i>vitriolata.</i>	Sulphas potassae.
————— <i>sulphurea.</i>	————— cum sulphure.

NAMES CHANGED.

NEW NAMES.

Lixivium causticum.

Aqua potassae.

Magnesia alba.

Carbonas magnesiae.

——— *usta.*

Magnesia.

——— *vitriolata.*

Sulphas magnesiae.

Majorana.

Origanum majorana.

Manna.

Succus concretus fraxini orni.

Marmor album.

Carbonas calcis durior.

Mistiche.

Resina pistachiae lentisci.

Melampodium.

Helleborus niger.

Mercurius.

Hydrargyrus.

——— *præcipitatus ruber.*

Oxidum hydrargyri rubrum.

——— *sublimatus corrosivus.*

Murias hydrargyri.

Mezereum.

Daphne mezereum.

Minium.

Oxidum plumbi rubrum.

Muria.

Murias sodae.

Nasturtium aquaticum.

Sisymbrium nasturtium.

Nitrum.

Nitrus potassae.

Nux moschata.

Nucleus fructus myristicae moschatae.

Olea stillatitia.

Olea volatilia.

Oleum succini rectificatum.

Oleum succini purissimum.

——— *terebinthinae rectificatum.*

——— volatile pini purissimum.

Olibanum.

Gummi-resina-juniperi lyciae.

Oliva.

Olea Europea.

Palma.

Cocos butyracea.

Petroleum Barbadosense.

Bitumen petroleum.

Petroselinum.

Apium petroselinum.

Pilulae cupri.

Pilulae ammoniaceti cupri.

——— *thebaicae.*

——— opiatæ.

NAMES CHANGED.

NEW NAMES.

*Pimento vel piper Jamaicensis.**Piper Indicum.**Pix Burgundica.**—— liquida.**Plumbum ustum.**Potio cretacea.**Prunus Gallica.**Pulegium.**Pulvis antimonialis.**—— cretaceus.**—— Doveri.**Pyrethrum.**Raphanus rusticanus.**Rhabarbarum.**Resina alba.**Rosa pallida.**—— rubra.**Rubigo ferri praeparata.**Sabina.**Saccharum saturni.**Sal alkalinus fixus fossilis.**—— —— —— vegetabilis.**—— ammoniacus.**—— catharticus amarus.**—— cornu cervi.**—— Glauberi,**—— marinus Hispanus.**Myrtus pimenta.**Capsicum annuum.**Resina sponte concreta pini abietis.**—— empyreumatica pini silvestris.**Oxidum plumbi semivitreum.**Potio carbonatis calcis.**Prunus domestica.**Mentha pulegium.**Oxidum antimonii cum phosphate calcis.**Pulvis carbonatis calcis compositus.**—— ipecacuanhae et opii.**Anthemis pyrethrum.**Cochlearia armoracia.**Rheum palmatum.**Resina pini.**Rosa centifolia.**—— Gallica.**Carbonas ferri praeparatus.**Juniperus sabina.**Acetis plumbi.**Carbonas sodae.**—— potassae.**Murias ammoniae.**Sulphas magnesiae.**Carbonas ammoniae.**Sulphas sodae.**Murias sodae.*

NAMES CHANGED.

NEW NAMES.

Sal polybrestus.— *Rupellensis.*— *succini.*— *tartari.**Sanguis draconis.**Santalum rubrum.**Santonicum.**Sarsaparilla.**Sassafras.**Scammonium.**Seneka.**Senna.**Serpentaria Virginiana.**Simarouba.**Sinapi album.**Soda.*— *muriata.*— *phosphorata.*— *tartarisata.*— *vitriolata.**Spiritus aetheris vitriolici.*— *ammoniae.*— *cornu cervi.*— *Mindereri.*— *salis ammoniaci.*— *vinosus rectificatus.*— *tenuior.*— *camphoratus.**Staphisagria.**Stramonium.**Sulphas potassae cum sulphure.**Tartris potassae et sodae.**Acidum succinicum.**Carbonas potassae purissimus.**Resina pterocarpi draconis.**Pterocarpus santalinus.**Artemisia santonicum.**Smilax sarsaparilla.**Laurus sassafras.**Gummi-resina convolvuli scammoniae.**Polygala senega.**Cassia senna.**Aristolochia serpentaria.**Quassia simaruba.**Sinapis alba.**Carbonas sodae.**Murias sodae.**Phosphas sodae.**Tartris potassae et sodae.**Sulphas sodae.**Æther sulphuricus cum alcohol.**Alcohol ammoniatum.**Aqua carbonatis ammoniae.*— *acetis ammoniae.*— *carbonatis ammoniae.**Alcohol.*— *dilutum.**Tinctura camphorae.**Delphinium staphisagria.**Datura stramonium.*

NAMES CHANGED.

Sulphur antimonii praecipitatum. }
 ——— *auratum antimonii.* }

Syrupus balsamicus vel Tolutanus.
 ——— *papaveris albi.*

Taraxacum.

Tartarus crudus.

Tartari crystalli.

Tartarus emeticus.

Tartarum solubile.

———— *vitriolatum.*

Terebinthina Veneta.

Terra Japonica.

———— *ponderosa vitriolata.*

Tinctura aloës vitriolata.

———— *aromatica.*

———— *ferri.*

———— *cantharidum.*

———— *Japonica.*

———— *rhei amara.*

———— *sacra.*

———— *Tolutana.*

Toxicodendron.

Tragacantha.

Trifolium.

Trochisci Arabici,

Turpetum minerale.

Tutia.

Unguentum album vel cerussae.

———— *aeruginis.*

———— *coeruleum.*

———— *citrinum.*

NEW NAMES.

Sulphuretum antimonii praecipitatum.

Syrupus toluiferae balsami.

———— *papaveris somniferi.*

Leontodon taraxacum.

Super-Tartris potassae impurus.

———— *potassae.*

Tartris antimonii.

Tartris potassae.

Sulphas potassae.

Resina liquida pini laricis.

Extractum mimosae catechu.

Sulphas barytae.

Tinctura aloës aetherea.

———— *cinnamomi composita.*

———— *muriatis ferri.*

———— *meleës vesicatorii.*

———— *mimosae catechu.*

———— *rhei et gentianae.*

Vinum aloës Socotorinae.

Tinctura toluiferae balsami.

Rhus toxicodendron.

Gummi astragali tragacanthae.

Menyanthes trifoliata.

Trochisci gummosi.

Sub-Sulphas hydrargyri flavus.

Oxidum zinci impurum.

Unguentum oxidi plumbi albi.

———— *sub-Acetis cupri.*

———— *hydrargyri.*


———— *nitrat. hydrargyri.*

NAMES CHANGED.

*Unguentum epispasticum fortius.**_____ mitius.**_____ saturninum.**_____ tutiae.**Uva passa.**_____ ursi.**Valeriana sylvestris.**Vinum amarum.**_____ antimoniale.**Vitriolum album.**_____ coeruleum.**_____ viride.**Vitrum antimonii.**_____ ceratum.**Winteranus cortex.**Zincum ustum.**_____ vitriolatum.**Zingiber.*

NEW NAMES.

*Unguentum pulveris melleoës vesicatorii.**_____ infusi melleoës vesicatorii.**_____ acetitis plumbi.**_____ oxidi zinci impuri.**Fructus siccatus vitis viniferi.**Arbutus uva ursi.**Valeriana officinalis.**Vinum gentianae compositum.**_____ tartris antimonii.**Sulphas zinci.**_____ cupri.**_____ ferri.**Oxidum antimonii cum sulphure vitrificatum.**Oxidum antimonii vitrificatum cum cera.**Cortex Winterae aromatica.**Oxidum zinci.**Sulphas zinci.**Anonum zingiber.*



INDEX II.

Containing such names as occur in the London and
Dublin Pharmacopoeias, which are not in the
former Index, with the Edinburgh names
corresponding to them.

LONDON AND DUBLIN NAMES.

ALKALI fossile mite.

———— vitriolatum.

———— vegetabile acetatum.

———— causticum.

———— mite.

———— sulphuratum.

———— tartarisatum.

———— vitriolatum.

———— volatile mite.

Aqua ammoniac purae.

———— kali puri.

———— Pulegii.

Calx Zinci.

EDINBURGH NAMES.

Carbonas sodae.

Sulphas sodae.

Acetis potassae.

Potassa.

Carbonas potassae.

Sulphuretum potassae.

Tartris potassae.

Sulphas potassae.

Carbonas Ammoniacae.

Aqua ammoniacae.

———— *potassae.*

———— *menthae pulegii.*

Oxidum Zinci.

LONDON AND DUBLIN NAMES.

EDINBURGH NAMES.

Gummi arabicum.

Gummi mimosae niloticae,

— tragacanthae.

— *Astragali Tragacanthae.*

Hydrargyrum muriatum.

Murias hydrargyri.

Kali acetatum.

Acetis potassae.

— praeparatum.

Carbonas potassae.

— purum.

Potassa.

— sulphuratum.

Sulphuretum potassae.

— tartarisatum.

Tartris potassae.

— vitriolatum.

Sulphas potassae.

Lac amygdalae.

Emulsio amygdalae communis.

Linimentum ammoniacae.

Oleum ammoniatum.

Liquor aethereus nitrosus.

Spiritus aetheris nitrosi.

— — — vitriolicus.

Aether sulphuricus cum alcohol.

— — — alkali volatilis acetati.

Aqua acetitis ammoniacae.

— — — caustici.

— — — *ammoniac.*

— — — mitis.

— — — *carbonatis ammoniacae.*

Natron praeparatum.

Carbonas sodae.

— tartarisatum.

Tartris sodae et potassae.

— vitriolatum.

Sulphas sodae.

Spiritus alkali volatilis.

Alcohol ammoniatum.

— — — aromaticum.

— — — *aromaticum.*— — — *cu.*

— — — foetidus.

— — — *foetidum.*

— camphoratus.

Tinctura camphorae.

Stibium nitro-calcinatum.

*Oxidum antimonii cum sulphure per
nit a'len potassae.*

— — — muriatum causticum.

Murias antimonii.

LONDON AND DUBLIN NAMES.

EDINBURGH NAMES.

Sulphur stibiatum rufum.

Sulphur Antimonii praecipitatum.

Tartarum stibiatum.

Tartris antimonii.

Tinctura Cardamomi.

Tinctura amomi repentis.

—— catechu.

—— *mimosae catechu.*

—— corticis Peruviani.

—— *cinchonae catechu.*

—— jalapae.

—— *convolvuli jalapae.*

—— rhabbarbari.

—— *Rhei palmati.*

—— sennae.

—— *Cassiae sennae.*

—— serpentariae.

—— *aristolochiae serpentariae.*

Vinum Antimonii tartarizati

—— Tartari stibiat.

Vinum tartritis antimonii.

Zincum calcinatum.

Oxidum zinci.

F I N I S.

